# **User Manual for Scrapper Subcompact Flashlight**




NEVER LOOK AT THE LIGHT IT IS HAZAROUS TO THE EYES.

MAKE SURE FIREARMS ARE UNLOADED AND POINTED IN THE SAFE DIRECTION

#### **KEY FEATURES**

- 1. Tactical low profile subcompact flashlight
- 2. Light weight and aluminum structure design
- 3. Click button switch for power on/off
- 4. Glove friendly smart-sense momentary on/off switch for silent and quick operation
- 5. Built-in rechargeable lithium battery compatible with magnetic type charger
- 6. Charging and battery power indicator to clarify the device status

## **QUICK START & DIAGRAM**



- Simply click On/Off switch to turn the flashlight on or off.
- Double click On/Off switch will be to the flashlight strobe mode. Double click again will resume to constant mode.
- When the flashlight is constant on, press On/Off switch for 1 second to another working mode. OR, when the flashlight is on, hold the on/off switch to change and choose working mode.
- The flashlight has three modes: high, medium and low.
- When the flashlight is on, put finger over the smart-sensor switch which is on the other side for the unit to momentarily turn off the unit. Move the finger away to resume the unit on.
- Power saving: If the flashlight is on at high 500 lumens mode more than 1 min, the mode will switch to low mode.

## **SPECIFICATION**

| LED Lumen           | High                          | Medium     | Low       |  |
|---------------------|-------------------------------|------------|-----------|--|
|                     | 500 Lumens                    | 200 Lumens | 40 Lumens |  |
| Housing material    | Aluminum alloy 6061-T6        |            |           |  |
| Dimension           | ≤51x28x33mm (2.0x1.1x1.3in)   |            |           |  |
| Net Weight          | ≤55g (1.9oz)                  |            |           |  |
| Battery Type        | Build-in rechargeable lithium |            |           |  |
| Battery Runtime     | 10 Min                        | 35 Min     | 4.5 hours |  |
| Working Mode        | Constant high, medium and low |            |           |  |
| Working Temperature | -20 to 45°C (-4 to 113°F)     |            |           |  |

#### **DELIVERY SETS**

☑ Led Light ☑ Magnetic cable ☑ Wrench, 2 Pcs anti-Retreat Insertion ☑ User Manual ☑ Packing Box


## **MOUNTING**

The flashlight is installed on the gun by means of its integrated weaver mount. Loosen the locking screw, slide the flashlight on to the standard weaver or picatinny rail. Choose the proper mounting position and make sure it sits flat on the rail, choose proper retreat insertion and align it within the recoil groove on the weaver / picatinny rail, fasten the locking screw. Don't exceed 16 inches/pounds of torque on the flashlight's screws.

#### **CHARGING**

To charge the flashlight, first turn it off. Plug the charging cable and connect to a USB power adaptor. The magnetic round plate port on the flashlight accepts the magnetic charger head from the charging cable. The charging indicating LED on the flashlight shall be on to ensure that the battery is being charged.

Caution: Keep the port and charger head contacts clean at all times. Poor contacts can cause malfunction. Fully charge your flashlight before first use, which may take around 3-4 hours according to the charging condition.



The charging indicator is shown in RED, YELLOW or GREEN.

| Light Indicating            | Red           | Yellow     | Green         |
|-----------------------------|---------------|------------|---------------|
| Battery Capacity Indication | Less than 25% | 25% to 75% | More than 75% |

## **SEALED AND WATER RESISTANT**

The unit is has O-ring to prevent the entry of dust or moisture or rain .

#### **MAINTENANCE**

Your flashlight, though amazingly tough, is a precision instrument that deserves reasonable cautious care.

When cleaning the flashlight, first blow away any dirt and dust, or use a soft lens brush. Fingerprints and lubricants can be wiped off with tissue, or soft clean cotton cloth, moistened with lens cleaning fluid.

All moving parts of the flashlight are permanently lubricated. Do not try to lubricate them.

No maintenance is needed on the light's outer surface, except to occasionally wipe off dirt or fingerprints with a soft cloth.

#### **STORAGE**

Avoid storing the flashlight in hot places, such as the passenger compartments of vehicles on hot days. The high temperatures could adversely affect the lubricants and sealants. A vehicle's trunk, a gun cabinet, or a closet is preferable. For more information please visit our website: <a href="https://www.vaide.com">www.vaide.com</a>

## **SAFETY & WARNING**



Direct viewing of the flashlight is hazardous to the eyes.

Never look directly into the flashlight beam.

Never point flashlight at person.

Do not allow children to use flashlight unless under adult supervision.