



VF VECTOR OPTICS®

2026  
CATALOG

VISIT  
US ON



VectorOptics



# TABLE OF CONTENTS

2	Visit Us
4	About VectorOptics
5	Warranty

## TOP LINE

14	 Continental
----	---

## PREMIUM LINE

28	 Tauron
32	 Paragon

## CLASSIC LINE

36	 Constantine
38	 Orion
40	 Veyron
44	 Minotaur
46	 Hugo
48	 Matiz

## ENTRY LINE

52	 Sentinel
54	 Grizzly
56	 Forester

 X-ACCU

# QUALITY THROUGH PRECISION

Vector Optics has provided premium optics and innovative sighting systems for more than 17 years.

We design, build, and test our scopes & red dot sights for rifles and pistols to be used in all fields of applications for hunting, defense, sporting & competition.

We build our products beyond expectations. We provide precision aiming solutions and perfect shots over short, medium, and long range shooting.

Our products are used in various applications from recreational shooters to critical users such as sporting shooters, avid hunters, and tactical elites in arctic cold, desert heat, and all in environments that Can-And-Will.

Vector Optics will accompany your every shot and be your loyal partner!



Your Vector Optics Continental, Tauron, Paragon, Scrapper, and Frenzy line products are covered by our tailored VIP lifetime warranty. We Will, at our option, either repair or replace your Vector Optics product free of charge if it is damaged or defective. If we can't repair your damaged product, we will replace it with a brand new one in perfect condition. We proudly stand behind all our Vector Optics products with this warranty. You have our word that we will do what it takes to retain your business as a satisfied customer. You can count on our T-VIP lifetime warranty.

Unlimited full lifetime warranty:

- ① Fully transferable.
- ② Free repair or replacement.
- ③ Reply to you in 1 working day.
- ④ No invoice or receipt is needed.
- ⑤ We pay for shipping back to you.
- ⑥ No questions asked. However, we do appreciate your feedback.


This warranty does not cover product loss, theft, deliberate damage, abuse, misapplication, or modification. This warranty does not apply to the electronic components or batteries.

For warranty service, please get in touch with our customer service department online at [service@vectoroptics.com](mailto:service@vectoroptics.com) for return instructions. If you need to return the product, please ensure the shipment is secure and keep the tracking records.

All other Vector Optics products are covered by the 5-year warranty. Your Vector Optics product is warranted to be free of defects in materials and workmanship for a period of 5 years from the time of purchase by the original purchaser. This warranty covers accidental damage, as well as any defects in materials and workmanship. In the event of a defect under this warranty, we promise to repair or replace your product and ship it back to you free of charge. A warranty card needs to be filled out. Contact us via [service@vectoroptics.com](mailto:service@vectoroptics.com), our online store, or Facebook to get after-sales service.

Please note that batteries, damages caused by misuse, or improper handling are not covered. Also, this warranty is null and void if modification or maintenance is provided by someone other than Vector Optics.





## /// COMPETITION



### COMPETITIVE SHOOTING

Built for Competitive Shooting



### 3-GUN COMPETITION

Built for 3-Gun Competition



### BENCHREST SHOOTING

Built for Benchrest Shooting



### FIELD TARGET

Built for Field Target / Hunter Field Target Competitions



### PLINKING

Built for Indoor & Outdoor Plinking



### LONG RANGE TARGET

Precision Targeting for Long-Range Engagement



### PRECISION RIFLE SERIES (PRS)

Optimized for PRS-Style Competition

# IDEAL APPLICATIONS

## /// TACTICAL & DEFENSE



### TACTICAL / LE USE

Built for Tactical Use and Law Enforcement



### CLOSE SELF-DEFENSE

Built for Close-Range Self-Defense Aiming



### CQB ENVIRONMENT

Built for CQB



### EVERYDAY CARRY (EDC)

Compact Size for Everyday Use



### AR/M

Optimized for AR/M Platform



### .223

Rated for .223 Caliber Recoil



### .308

Rated for .308 Caliber Recoil



### .50 BMG

Rated for .50 BMG Caliber Recoil

## IDEAL APPLICATIONS



**HUNTING STYLE**  
Built for Hunting



**BIG GAME HUNTING**  
Built for Big Game Hunting



**DANGEROUS GAME HUNTING**  
Built for Dangerous Game Hunting



**TURKEY HUNTING**  
Built for Turkey Hunting



**VARMINT HUNTING**  
Built for Varmint Hunting



**SMALL GAME HUNTING**  
Built for Small Game Hunting



**MOUNTAIN HUNTING**  
Built for Mountain Hunting



**DRIVING HUNTING**  
Built for Driving Hunting



**SAFARI HUNTING**  
Built for Safari Hunting



**PLAIN GAME HUNTING**  
Built for Plain Game Hunting

# RIFLESCOPE

## /// RETICLE FEATURES



### FFP

Reticle Changes Along with Magnification



### SFP

Consistent Reticle with Varying Magnification

## /// TUBE DIAMETER



### 25.4 MM (1IN) TUBE DIA

Lightweight and Compact Design



### 30MM TUBE DIA

Large to Increase the Adjustment Range



### 34MM TUBE DIA

Extra Large to Maximize the Adjustment Range

## /// OPTICAL PERFORMANCE



### EXTRA LARGE EYE BOX

More Forgiving Eye Positioning




### LER

Ensure Safety & Gain Situational Awareness



### TRUE 1x POWER

Enable Two Eyes Open Shooting



### EDGE-TO-EDGE CLARITY

Ensure Clarity Across Entire Field of View



### 50X EXTREME HIGH POWER

View Detail from Distance



### ZOOM FACTOR

Different Zoom Factors Enable Adaptive Shooting




### FIBER RETICLE ILLUMINATION

Advanced Visibility Even in Strongest Sunlight Condition

# RIFLESCOPE

## /// ADJUSTMENT SYSTEM



### REVOLUTION INDICATOR MARK

Without Getting Lose



### ZERO RESETTABLE

Set New Zero Position Anytime



### ZERO STOP

Effortlessly Return to Pre-set Zero



### AUDIBLE MECHANICAL CLICKS

Perceptible to Adjust



### SIDE FOCUS

Easy & Rapid Parallax Adjustment



### LRZ SYSTEM

Turret Lock, Revolution Indicator, Zero Stop



### CAPPED TURRET

Prevent Accidental Adjustments



### PARALLAX ADJUSTMENT

Align Reticle with Target



### HIGH PERFORMANCE ADJUSTMENT

Finely Tuned Mechanisms for Precise Control



### X MIL

X MIL Precise Click Adjustment



### X MOA

X MOA Precise Click Adjustment



### TURRET LOCK

Prevent Unwanted Adjustments



## RIFLESCOPE

### /// OPTICAL QUALITY



#### GERMAN SCHOTT HT LENS

German Schott High Transmission Lens



#### HD GLASS

High Definition Glass



#### ED GLASS

Present Crystal Clear Image



#### LAREE™ HD GLASS

LaREE™ High Definition Glass



#### MULTI-COATED (MT)

See Clearer, Aim Better



#### FULLY MULTI-COATED (FMC)

Deliver Bright & Crisp Images



#### VEPRO™ FMC

Present Superior Clear and Bright Images



#### LIGHT TRANSMISSION

High Light Transmission for Bright, Clear Viewing

### /// MECHANICAL DESIGN



#### QUICK RELEASE PICATINNY MOUNT

Quickly Secure and Uninstall Optic



#### PICATINNY MOUNT

Picatinny Rail Compatible



#### 7075-T6 ALUMINUM HOUSING

Ultra-lightweight, Stable and Durable



#### 6061-T6 ALUMINUM HOUSING

Reliable, Strong and Corrosion-Resistant

# RIFLESCOPE

## /// ILLUMINATION SYSTEM



### DIGITAL CONTROL

Tap to Adjust Illumination Intensities



### X LEVEL ILLUMINATION

Visible Reticle in all Light Conditions

## /// DURABILITY PROTECTION



### WATERPROOF

Tested for Reliable Water Resistance



### SHOCKPROOF

Endure Physical Shock, Impacts or Vibrations



### FOG PROOF


Prevent Internal Fogging in Any Condition



### NITROGEN PURGED

Prevent Internal Fogging for Clear Visibility

## /// STRUCTURAL DESIGN




### QUICK THROW LEVER

Effortless Magnification Adjustment



### LIGHTWEIGHT DESIGN

Lighten Your Load, Aim with Ease



### COMPACT DESIGN


Easy Handling and Portability

## /// PROTECTIVE ACCESSORIES




### FLIP-UP CAP

Shield the Scope from Dust & Scratches



### HONEYCOMB SUNSHADE

Reduces Glare and Reflection for Clearer Target Visibility



### LENS COVER


Guarding Lens from Scratches and Damage

— TOP LINE —

Lifetime Warranty



**TOP LINE**



CONTINENTAL, our high-end riflescope, features a Professional-Grade Optical System, excelling in challenging lighting conditions and offering unmatched light transmission.

Designed for professional shooters, this line ensures superior quality and includes a lifetime warranty for your peace of mind. Experience top performance with our premier product.




Vector Optics – navigate your way to mastery, together.

## TOP LINE

SKU	Name	Reticle	Illumination	Eye Relief (mm/in)	F.O.V (m@100meters) (ft@100 yds)	Adjustment Range	Tube Size	Length (mm/in)	Weight (net)(g/oz)	Click Value	Parallax Adjustment
SCFF-31	1-6x28 FFP	VCT-BNW	6 levels R	100 / 4.0	41.7-7.0 / 125.2-20.8	52MIL(E) 20MIL(W)	34mm	295 / 11.6	655 / 23.1	0.1 MRAD	100yds
SCFF-28	3-18x50 FFP	VCT-34FFP	6 levels R	100 / 4.0	23.5-3.9 / 70.5-11.7	44MIL(E) 16MIL(W)	34mm	337 / 13.3	790 / 27.9	0.1 MRAD	10yds to $\infty$
SCFF-29	4-24x56 FFP	VCT-34FFP	6 levels R	100 / 4.0	10.2-1.7 / 30.6-5.1	34MIL(E) 16MIL(W)	34mm	362 / 14.3	850 / 30.0	0.1 MRAD	10yds to $\infty$
SCFF-30	5-30x56 FFP	VCT-34FFP	6 levels R	100 / 4.0	8.2-1.4 / 24.5-4.1	26MIL(E) 16MIL(W)	34mm	393 / 15.5	810 / 28.6	0.1 MRAD	10yds to $\infty$
SCFF-43	3-18x50 FFP	VEC-MBR	6 levels R	100 / 4.0	23.5-3.9 / 70.5-11.7	44MIL(E) 16MIL(W)	34mm	337 / 13.3	790 / 27.9	0.1 MRAD	10yds to $\infty$
SCFF-40	4-24x56 FFP	VEC-MBR	6 levels R	100 / 4.0	10.2-1.7 / 30.6-5.1	34MIL(E) 16MIL(W)	34mm	362 / 14.3	841 / 29.6	0.1 MRAD	10yds to $\infty$
SCFF-39	4-24x56 FDE FFP	VEC-MBR	6 levels R	100 / 4.0	10.2-1.7 / 30.6-5.1	34MIL(E) 16MIL(W)	34mm	362 / 14.3	840 / 29.6	0.1 MRAD	10yds to $\infty$
SCFF-41	5-30x56 FFP	VEC-MBR	6 levels R	100 / 4.0	8.2-1.4 / 24.5-4.1	26MIL(E) 16MIL(W)	34mm	393 / 15.5	845 / 29.8	0.1 MRAD	10yds to $\infty$
SCFF-70	6-36x56 FFP	VEC-MBR	11 levels R	100 / 4.0	7.2-1.2 / 21.6-3.6	31MIL(E) 20MIL(W)	34mm	404 / 15.9	861 / 30.4	0.1 MRAD	15yds to $\infty$
SCFF-67	2-12x44 CTR FFP	VET-CTR 2	11 levels R	100 / 4.0	20.8-3.6 / 62.4 - 10.8	63MIL(E) 30MIL(W)	34mm	317 / 12.5	767 / 27.0	0.1 MRAD	10yds to $\infty$
SCFF-69	2-12x44 RAR FFP	VET-RAR 2	11 levels R	100 / 4.0	20.8-3.6 / 62.4 - 10.8	63MIL(E) 30MIL(W)	34mm	315 / 12.4	767 / 27.0	0.1 MRAD	10yds to $\infty$

14

Continental



**Marno Denner**  
South Africa

Outstanding clear glass to see detail very well at long distances which makes it easy to identify targets or to see bullet impact. The turrets are the best features, they have a ton of adjustment, super crisp, very positive and very audible and with a Zero stop turret included.

Overall, from the ocular focus, zoom ring, turrets and side focus wheel there is No slop or play which makes this scope the best value for money.

The reticle comes with a ton of holdover indications and just the right thickness.



ROBUST,RELENTLESS,REMARKABLE

# CONTINENTAL 34mm HD

It delivers an unparalleled optical clarity and extremely high volume adjustment range. Each of these models provides zero-stop with a revolution counter system.

6-36x56 FFP

1-6x28 FFP



Power Ring Throw Lever  
(SCCON-TL2)



Parallax Big Side Wheel GenII  
(SCCON-SW2)



Metal Flip-up Cap  
(SCFC-M28,M50,M56)



Continental


15

## TOP LINE

SKU	Name	Reticle	Illumination	Eye Relief (mm/in)	F.O.V (m@100meters) (ft@100 yds)	Adjustment Range	Tube Size	Length (mm/in)	Weight (net)(g/oz)	Click Value	Parallax Adjustment
SCFF-47	1-10x28 CTR FFP	VET-CTR	11 levels R	100 / 4.0	35-3.5 / 105-10.5	51MIL	34mm	278 / 10.9	651 / 23.0	0.1 MRAD	100yds
SCFF-62	1-10x28 RAR FFP	VET-RAR	11 levels R	100 / 4.0	35-3.5 / 105-10.5	51MIL	34mm	278 / 10.9	651 / 23.0	0.1 MRAD	100yds

16

Continental



**KJ Swagger**  
Italy

The Vector Optics Continental 1-10x28 ED is an optic. I personally use in DMR and ITPRA competitions, mounted on a semi-auto AR15 platform. Its versatility is perfect for these disciplines, where quick adjustments and clear vision are essential. The 34mm tube provides excellent brightness and a wide field of view, ideal for precision shooting at varying distances. The illuminated tree reticle, with clear references for each click, allows for precise adjustments, supporting me in any shooting scenario. This optic is perfect for anyone seeking reliability and high level performance.



CLARITY, PRECISION, VERSATILITY

# CONTINENTAL 34mm ED

It delivers unmatched optical clarity with chromatic aberration-free ED glass, paired with versatile high magnification. Each model is equipped with a zero-stop and a revolution counter system for precise adjustments.

1-10x28 CTR FFP






1-10x28 RAR FFP



Power Ring Throw Lever  
(SCCON-TL2)



Metal Flip-up Cap  
(SCFC-M28,M50,M56)



Continental

17

## TOP LINE

SKU	Name	Reticle	Illumination	Eye Relief (mm/in)	F.O.V (m@100meters) (ft@100 yds)	Adjustment Range	Tube Size	Length (mm/in)	Weight (net)(g/oz)	Click Value	Parallax Adjustment
SCOC-48	1-6x24 SFP	German #4 Fiber	6 levels R	100 / 4.0	41.7-7.0 / 125.2-20.8	120MOA	30mm	283 / 11.1	478 / 16.9	1/2MOA	100yds
SCOC-53	1-6x24 SFP	German #4 Fiber	6 levels R	100 / 4.0	41.7-7.0 / 125.2-20.8	120MOA	30mm	283 / 11.1	478 / 16.9	1/2MOA	100yds
SCOM-23	1.5-9x42 SFP	German #4 Glass	6 levels R	100 / 4.0	28.0-4.7 / 84.0-14.0	140MOA	30mm	385 / 15.2	580 / 20.5	1/4MOA	100yds
SCOM-15	2-12x50 SFP	VET-10BDC	6 levels R	100 / 4.0	21.0-3.5 / 63.0-10.5	140MOA	30mm	333 / 13.1	605 / 21.4	1/4MOA	100yds
SCOM-47	2.5-15x56 SFP	German #4 Fiber	6 levels R	100 / 4.0	16.6-2.8 / 49.8-8.3	110MOA	30mm	369 / 14.5	665 / 23.5	1/4MOA	10yds to $\infty$
SCOL-65	3-18x50 SFP	German #4 Fiber	6 levels R	100 / 4.0	12.2-2.1 / 36.6-6.3	105MOA	30mm	338 / 13.3	645 / 22.8	1/4MOA	10yds to $\infty$
SCOL-66	5-30x56 SFP	German #4 Fiber	6 levels R	100 / 4.0	7.7-1.4 / 23.1-4.1	60MOA	30mm	402 / 15.8	683 / 24.1	1/4MOA	15yds to $\infty$

\*Scopes equipped with a fiber-optic reticle also feature a Motion Sensor function.



**Gordon Marsh**  
The U.S.A

I am happy to report the Continental scope performed perfectly on this elk hunt. I shot a bull Elk at 300 yards. The scope was great. During the hunt, it also retained a perfect zero, it was bright & clear. The eye relief shooting the 375 Ruger was just fine.



SIMPLE, RELIABLE, AND EASY TO USE

# CONTINENTAL HUNTING HD

The center-dot illuminated reticle is ideal for various hunting scenarios, such as varmint hunting, safari hunting, big game hunting, and even dangerous game hunting.

5-30x56

1-6x24



Hunting Ballistic Turret  
(SCCON-HBT)



Power Ring Throw Lever  
(SCCON-TL2)



Parallax Big Side Wheel GenII  
(SCCON-SW2)



Metal Flip-up Cap  
(SCFC-M28,M50,M56)




## TOP LINE

SKU	Name	Reticle	Illumination	Eye Relief (mm/in)	F.O.V (m@100meters) (ft@100 yds)	Adjustment Range	Tube Size	Length (mm/in)	Weight (net)(g/oz)	Click Value	Parallax Adjustment
SCOC-51	1-8x24 SFP	German #4 Fiber	11 levels R	100 / 4.0	41.0-5.1 / 123.1-15.3	280MOA	30mm	287 / 11.3	504 / 17.8	1/2MOA	100yds
SCOM-45	2-16x50 SFP	VET-10BDC	11 levels R	100 / 4.0	20.5-2.6 / 61.5-7.7	110MOA	30mm	345 / 13.6	672 / 23.7	1/4MOA	20yds to $\infty$
SCOL-64	3-24x56 SFP	German #4 Fiber	11 levels R	100 / 4.0	13.7-1.7 / 41.0-5.1	80MOA	30mm	376 / 14.8	736 / 26.0	1/4MOA	20yds to $\infty$

\*Scopes equipped with a fiber-optic reticle also feature a Motion Sensor function.

20

Continental



**Brett Eagle**  
South Africa

Having used Vector Optics for my hunting and precision shooting needs over the past 3 years.

I was beyond excited to get my hands on their latest offering, the Continental 8x 4-32x56 second focal plane hunting scope.


The 30mm monotube, capped 1/4MOA adjustments, and over 70 MOA adjustment range made it incredibly versatile for all of my hunting trips. Furthermore, the lifetime warranty serves as a testament to Vector Optics' commitment to producing a top-tier, long-lasting scope that you can rely on for a lifetime.



SIMPLE, RELIABLE, AND EASY TO USE

# CONTINENTAL HUNTING ED

The center-dot illuminated reticle is ideal for various hunting types, including varmint, safari, big game, and even dangerous game. Additionally, it incorporates ED glass to enhance optical clarity and overall performance.




## TOP LINE

SKU	Name	Reticle	Illumination	Eye Relief (mm/in)	F.O.V (m@100meters) (ft@100 yds)	Adjustment Range	Tube Size	Length (mm/in)	Weight (net)(g/oz)	Click Value	Parallax Adjustment
SCOC-23T	1-6x24 SFP	VET-BTR	6 levels R	100 / 4.0	42.0-7.0 / 124.5-20.7	45MIL	30mm	283 / 11.1	510/ 18.0	1/10MIL	100yds
SCOC-34	1-6x24 FDE SFP	VET-BTR	6 levels R	100 / 4.0	42.0-7.0 / 124.5-20.7	45MIL	30mm	283 / 11.1	510/ 18.0	1/10MIL	100yds
SCOC-44	1-6x24 SFP	VEC-FDR	6 levels R	100 / 4.0	42.0-7.0 / 124.5-20.7	40MIL	30mm	283 / 11.1	510/ 18.0	1/10MIL	100yds
SCOL-53	3-18x50 SFP	VCT-10A	6 levels R	100 / 4.0	13.8-2.3 / 41.5-6.9	21.5MIL	30mm	338 / 15.2	710/ 25.0	1/10MIL	10yds to $\infty$
SCOL-54	4-24x50 SFP	VCT-20A	6 levels R	100 / 4.0	10.4-1.7 / 31.1-5.2	20MIL	30mm	369 / 14.5	670/ 23.6	1/10MIL	15yds to $\infty$
SCOL-47	5-30x56 SFP	VCT-20A	6 levels R	100 / 4.0	8.3-1.4 / 24.9-4.2	16.5MIL	30mm	401 / 15.8	745/ 26.3	1/10MIL	15yds to $\infty$

\*Scopes equipped with a fiber-optic reticle also feature a Motion Sensor function.

22


Continental



**Alexey Oboishev**

From the very first days, my Continental 5-30 became a faithful assistant in long-range shots. I tested the reliability of the sight on myself and my large caliber (300 win mag). The clarity of clicks and the accuracy of the mechanisms for entering amendments are at the highest level! The picture quality provided by excellent glass surprised even experienced high precision athletes. High-precision reticles allow quick adjustments without needing tactical drum rotation.


Five shooters in our company already have similar devices from Vector Optics.



COMPETE, PROTECT, DEFEND

# CONTINENTAL TACTICAL HD

It covers not only compact and lightweight LPVO but also scopes with Christmas tree-style reticles, enabling target identification and engagement at substantial distances.



Continental

23


## TOP LINE

SKU	Name	Reticle	Illumination	Eye Relief (mm/in)	F.O.V (m@100meters) (ft@100 yds)	Adjustment Range	Tube Size	Length (mm/in)	Weight (net)(g/oz)	Click Value	Parallax Adjustment
SCOC-T37	1-8x24 SFP	VET-BTR	11 levels R	100 / 4.0	41.0-5.1 / 123-15.4	40MIL	30mm	284 / 11.2	520/ 18.3	1/10MIL	100yds
SCOC-45	1-8x24 SFP	VEC-FDR	11 levels R	100 / 4.0	41.0-5.1 / 123-15.4	40MIL	30mm	290 / 11.4	530/ 18.7	1/10MIL	100yds
SCOC-47	1-10x24 SFP	VCO-7 MIL	11 levels R	100 / 4.0	39.3-3.9 / 117.8-11.8	35MIL	30mm	295 / 11.6	540/ 19.0	1/10MIL	100yds
SCOM-T39	2-16x44 SFP	VCT-10A	11 levels R	100 / 4.0	20.5-2.6 / 61.5-7.7	32MIL	30mm	347 / 13.7	672/ 23.8	1/10MIL	20yds to $\infty$
SCOL-T50	3-24x56 SFP	VCT-20A	11 levels R	100 / 4.0	13.7-1.7 / 41-5.1	23MIL	30mm	376 / 14.8	795/ 28.0	1/10MIL	20yds to $\infty$
SCOL-T51	4-32x56 SFP	VCT-20A	11 levels R	100 / 4.0	10.3-1.3 / 30.8-3.8	20MIL	30mm	385 / 15.2	795/ 28.0	1/10MIL	20yds to $\infty$
SCOL-TE52	6-48x56 SFP	VCO-6 MOA	11 levels R	100 / 4.0	6.8-0.9 / 20.5-2.6	48MOA	30mm	403 / 15.9	807/ 28.5	1/8MOA	10yds to $\infty$
SCOL-TM52	6-48x56 SFP	VCO-5 MIL	11 levels R	100 / 4.0	6.8-0.9 / 20.5-2.6	14MIL	30mm	403 / 15.9	807/ 28.5	1/20MIL	10yds to $\infty$

\*Scopes equipped with a fiber-optic reticle also feature a Motion Sensor function.

24

Continental



**Rodney Davis**  
The U.S.A



The Vector Continental ED Tactical Series Rifle Scopes are simply one of the best values in the scope market. They offer edge to edge clarity throughout their magnification ranges and have a very forgiving eye box that allows the shooter to quickly acquire his or her target fast. I highly recommend the Vector Continental scope line and have confidence you will be pleased with the quality and features. I have been extremely impressed with the quality and reliability of these scopes.



COMPETE, PROTECT, DEFEND

# CONTINENTAL TACTICAL ED

It includes not only compact, lightweight LPVO scopes but also scopes with Christmas tree-style reticles—featuring ED glass and up to 48x magnification—enabling precise target identification and engagement at substantial distances.



Power Ring Throw Lever  
(SCCON-TL2)



Parallax Big Side Wheel GenII  
(SCCON-SW2)



Metal Flip-up Cap  
(SCFC-M28,M50,M56)



— PREMIUM LINE —

Lifetime Warranty



PREMIUM LINE




Vector Optics – navigate your way to mastery, together.

## PREMIUM LINE

SKU	Name	Reticle	Illumination	Eye Relief (mm/in)	F.O.V (m@100meters) (ft@100 yds)	Adjustment Range	Tube Size	Length (mm/in)	Weight (net)(g/oz)	Click Value	Parallax Adjustment
SCFF-63	1-6x24 GenII FFP	VTA-9 MIL	6 levels R	100 / 4.0	38.0-6.4 / 114-19.2	60MIL	30mm	264 / 10.4	539 / 19.0	1/10MIL	100yds
SCFF-64	3-18x50 GenII FFP	MPX1 (FFP)	6 levels R	100 / 4.0	9.2-1.9 / 27.6-5.7	29MIL	30mm	333 / 13.1	849 / 29.9	1/10MIL	10yds to $\infty$
SCFF-65	4-24x50 GenII FFP	MPX1 (FFP)	6 levels R	100 / 4.0	8.4-1.5 / 25.2-4.2	21MIL	30mm	370 / 14.6	877 / 30.9	1/10MIL	20yds to $\infty$
SCFF-66	5-30x56 GenII FFP	MPX1 (FFP)	6 levels R	100 / 4.0	6.8-1.2 / 20.4-3.6	17.5MIL	30mm	395 / 15.5	924 / 32.6	1/10MIL	20yds to $\infty$
SCOC-49	1-6x24 GenII SFP	VTC-SMIL	6 levels R	100 / 4.0	35.0-6.0 / 105.0-18.0	60MIL	30mm	264 / 10.4	537 / 18.9	1/10MIL	100yds
SCOM-43	2-16x50 HD GenII SFP	VTA-6 MIL	6 levels R	100 / 4.0	20.6-2.7 / 61.7-7.7	30MIL	30mm	338 / 13.3	766 / 27.0	1/10MIL	10yds to $\infty$
SCOL-45	4-16x44 HD SFP	MPX1 (SFP)	6 levels R	100 / 4.0	8.7-2.2 / 26.2-6.6	24MIL	30mm	356 / 14.0	730 / 25.7	1/10MIL	20yds to $\infty$
SCOL-46	6-24x50 HD SFP	MPX1 (SFP)	6 levels R	100 / 4.0	6.0-1.5 / 17.9-4.5	19.5MIL	30mm	362 / 14.3	763 / 26.9	1/10MIL	10yds to $\infty$

28

Tauron



**Levan Mosiashvili**  
Georgia

Clear vision & resolution, which indicates the quality of vector optics. Its weight, obedient clicks, FFP & SFP, all these, taking into account the pleasure of shooting. For which it deserves great approval and gratitude.




OUTSTANDING CLARITY, SUPERIOR QUALITY

# TAURON 30MM

LPVO, medium, and high-power scopes are designed to enhance your CQB and long-range shooting confidence at any magnification or distance.



Parallax Big Side Wheel Gen II  
(SCCON-SW2)



Tauron


29

## PREMIUM LINE

SKU	Name	Reticle	Illumination	Eye Relief (mm/in)	F.O.V (m@100meters) (ft@100 yds)	Adjustment Range	Tube Size	Length (mm/in)	Weight (net/g/oz)	Click Value	Parallax Adjustment
SCFF-79	4-16x44 HD GenII FFP	VTA-3 MIL	6 levels R	100 / 4.0	10.1-2.6 / 30.4-7.6	42MIL	34mm	334 / 13.2	951 / 33.6	1/10MIL	10yds to $\infty$
SCFF-81	6-24x50 HD GenII FFP	VTA-3 MIL	6 levels R	100 / 4.0	6.8-1.7 / 20.4-5.1	32MIL	34mm	361 / 14.2	986 / 34.8	1/10MIL	10yds to $\infty$
SCFF-80	4-16x44 HD GenII FFP	VTA-4 MOA	6 levels R	100 / 4.0	10.1-2.6 / 30.4-7.6	145 MOA	34mm	334 / 13.2	951 / 33.6	1/4MOA	10yds to $\infty$
SCFF-82	6-24x50 HD GenII FFP	VTA-4 MOA	6 levels R	100 / 4.0	6.8-1.7 / 20.4-5.1	110MOA	34mm	361 / 14.2	986 / 34.8	1/4MOA	10yds to $\infty$
SCFF-71	5-25x56 HD FFP	VTA-8 MIL	6 levels R	100 / 4.0	7.9-1.6 / 23.6-4.8	32MIL	34mm	361 / 14.2	1023 / 36.1	1/10MIL	10yds to $\infty$
SCFF-33	3-24x56 ED GenII FFP	VTA-5 MIL	N/A	100 / 4.0	13.7-1.7 / 41.0-5.1	30MIL	34mm	348 / 13.7	1007 / 35.5	1/10MIL	10yds to $\infty$
SCFF-34	4-32x56 ED GenII FFP	VTA-5 MIL	N/A	100 / 4.0	10.3-1.3 / 30.8-3.9	28MIL	34mm	360 / 14.2	1007 / 35.5	1/10MIL	25yds to $\infty$
SCFF-35	5-40x56 ED GenII FFP	VTA-8 MIL	6 levels R	100 / 4.0	8.0-1.1 / 24.0-3.0	25MIL	34mm	365 / 14.4	978 / 34.5	1/10MIL	15yds to $\infty$
SCOL-55	3-24x56 ED GenII SFP	VTA-7 MIL	6 levels R	100 / 4.0	13.7-1.7 / 41.0-5.1	30MIL	34mm	360 / 14.2	991 / 34.9	1/10MIL	10yds to $\infty$
SCOL-56	4-32x56 ED GenII SFP	VTA-6 MIL	6 levels R	100 / 4.0	10.3-1.3 / 30.8-3.9	28MIL	34mm	360 / 14.2	1004 / 35.4	1/10MIL	25yds to $\infty$
SCOL-69	5-50x60 ED SFP	VCO-5 MIL	6 levels R	100 / 4.0	8.2-0.8 / 24.6-2.5	23MIL	34mm	420 / 16.5	951 / 33.5	1/20MIL	10yds to $\infty$

30

Tauron



Marco Geiger

Germany



The Tauron Premium line 34MM are high quality and robust rifle scopes without pointless extras. The design is clearly designed for function and makes the Tauron line the perfect all-rounder. The large selection from LPVO to high magnification long range scopes and the great adjustment options make the Tauron line suitable for sport shooting and hunters. The Tauron line has been with me for a long time now, whether it's a match or training, and it has always impressed me again and again especially the good quality for the low price is something you can't get from any other company.




CRYSTAL, CLASSIC, COMPETITIVE

# TAURON 34MM HD & ED

LPVO, medium-power, and high-power scopes are engineered to support your CQB and long-range shooting with confidence at any magnification and distance.



Parallax Big Side Wheel GenII  
(SCCON-SW2)



Tauron

31

## PREMIUM LINE

SKU	Name	Reticle	Illumination	Eye Relief (mm/in)	F.O.V (m@100meters) (ft@100 yds)	Adjustment Range	Center Height (mm / inch)	Length (mm/in)	Weight (net)(g/oz)	Click Value	Parallax Adjustment
SCPS-M03	3x18	VEPS-MBR	10 levels R	80-90 / 3.1-3.5	12.9 / 38.8	100MOA	36 / 1.4	77 / 3.1	223 / 7.9	1MOA	100yds
SCPS-M04	4x24	VEPS-MBR	10 levels R	80-90 / 3.1-3.5	9.6 / 28.8	100MOA	36 / 1.4	81 / 3.2	250 / 9.8	1MOA	100yds
SCPS-M10	1x18 MINI	VEP-CDR	8 levels R & G	80-90 / 3.1-3.5	26.3 / 78.9	100MOA	36 / 1.4	61 / 2.4	178 / 6.3	1MOA	100yds

32

Paragon



**Jani Nordman**  
Finland

I have fallen in love with the Vector Optics Paragon series magnifiers and prism scopes in the past year, these work well with my shooting sports.

I use the Paragon 4x Micro paired with a red dot scope on my main competition gun. Key features why I chose the paragon prism scope over others are that the mount is very stable with zero wobbles in either use or swung to the side and the optic clarity is excellent, a key feature in fast-paced shooting where it's vital to identify the target fast and engage it equally fast.



SMALL SIZE IT TELLS BIG

# PARAGON PRISM SCOPE

It includes not only magnifiers but also scopes with a wide angle and true long eye relief. An adjustable diopter ensures a crisp, clear reticle image, and it offers variable center height mounting options.



3x18



4x24 (MGT Red Dot Footprint)



1x18 Mini



RUM Low Profile Picatinny Mount  
(SCPSM-02)



RUM High Cantilever Picatinny Riser Mount  
(SCPSM-03)



Honeycomb Sunshade



Red Dot Sight Offset Mount MAG  
(SCPSM-C01)



Paragon


33

— CLASSIC LINE —

5-year Warranty



**CLASSIC LINE**



Our classic product line is the ideal choice for those looking for a reliable option that offers a balance of performance and affordability. These products come with a reassuring 5-year warranty, providing peace of mind throughout your shooting adventures.



CONSTANTINE

ORION

VEYRON

MINOTAUR

HUGO

MATIZ


Vector Optics – navigate your way to mastery, together.

## CLASSIC LINE

SKU	Name	Reticle	Illumination	Eye Relief (mm/in)	F.O.V (m@100meters) (ft@100 yds)	Adjustment Range	Tube Size	Length (mm/in)	Weight (net)(g/oz)	Click Value	Parallax Adjustment
SCOC-36	1-6x24 SFP	German #4 Fiber	11 levels R	100 / 4.0	41.2-6.5 / 123.5-19.6	140MOA	30mm	260 / 10.3	480 / 16.9	1/2MOA	100yds
SCOC-35	1-10x24 SFP	German #4 Fiber	11 levels R	100 / 4.0	38.0-3.8 / 113.9-11.5	120MOA	30mm	277 / 10.9	525 / 18.5	1/2MOA	100yds
SCOC-27	1-8x24 SFP	VOS-EHT	11 levels R	100 / 4.0	41.9-4.9 / 125.6-14.8	35MIL	30mm	263 / 10.3	500 / 17.3	1/10MIL	100yds
SCFF-32	1-8x24 CTR FFP	VOF-EHT	11 levels R	100 / 4.0	35.8-4.5 / 107.3-13.6	35MIL	30mm	274 / 10.8	500 / 17.3	1/10MIL	100yds
SCOC-31	1-10x24 SFP	VOS-TMOA	11 levels R	100 / 4.0	41.7-7.0 / 125.2-20.8	120MOA	30mm	277 / 10.9	530 / 18.6	1/2MOA	100yds
SCFF-60	1-8x24 RAR FFP	VCO-1 MIL	11 levels R	100 / 4.0	35.2-4.5 / 105.7-13.6	35MIL	30mm	274 / 10.8	500 / 17.3	1/10MIL	100yds
SCFF-42	1-10x24 HD FFP	VCO-2 MIL	11 levels R	100 / 4.0	38.0-3.8 / 113.9-11.5	35MIL	30mm	251 / 9.9	558 / 19.7	1/10MIL	100yds


36

Constantine



**Sebastian Wickert**  
Germany

Vector Optics Constantine series is characterized by high reliability and an excellent price/performance ratio. The brightness and sharpness and optical performance of this riflescope are surprisingly good. The illuminated BDC reticle is up to all situations. Whether 25m or 300m, the Constantine is always a good companion and a very good riflescope in this price range.



# CONSTANTINE

It starts at a true 1x power, specifically designed for recon rifle optics. The fiber or etched-glass reticle offers enhanced eye relief and a generous eye box, enabling fast target acquisition.

SIMPLE, VERSATILE, EFFECTIVE

1-10x24 HD

1-8x24 RAR FFP




## CLASSIC LINE

SKU	Name	Reticle	Illumination	Eye Relief (mm/in)	F.O.V (m@100meters) (ft@100 yds)	Adjustment Range	Tube Size	Length (mm/in)	Weight (net)(g/oz)	Click Value	Parallax Adjustment
SCFF-49	3-18x44 HD FFP	VOR-4 MIL	6 levels R	95 / 3.7	12.8-2.1 / 38.3-6.3	30MIL(E) 16MIL(W)	30mm	340 / 13.4	798 / 28.1	1/10MIL	10yds to $\infty$
SCFF-59	4-16x44 HD FFP	VOR-4 MIL	6 levels R	95 / 3.7	9.6-2.3 / 28.8-6.8	32MIL(E) 18MIL(W)	30mm	344 / 13.6	756 / 26.7	1/10MIL	10yds to $\infty$
SCFF-61	6-24x50 HD FFP	VOR-4 MIL	6 levels R	95 / 3.7	6.3-1.6 / 18.9-4.7	23MIL(E) 18MIL(W)	30mm	353 / 13.9	756 / 26.7	1/10MIL	10yds to $\infty$
SCOL-57	3-18x50 HD SFP	VOR-5 MOA	6 levels R	95 / 3.7	12.7-2.1 / 38.2-6.3	100MOA(E) 60MOA(W)	30mm	338 / 15.3	825 / 29.1	1/4MOA	10yds to $\infty$
SCOL-63	6-24x50 HD SFP	VOR-6 MIL	6 levels R	95 / 3.7	6.3-1.6 / 18.9-4.7	23MIL(E) 18MIL(W)	30mm	353 / 13.9	753 / 26.6	1/10MIL	10yds to $\infty$
SCOL-62	4-16x44 HD SFP	VOR-7 MIL	6 levels R	95 / 3.7	9.6-2.3 / 28.8-6.8	30MIL(E) 20MIL(W)	30mm	344 / 13.6	753 / 26.6	1/10MIL	10yds to $\infty$
SCFF-44	6-24x50 FFP	VE-RDF	6 levels R	95 / 3.7	6.3-1.6 / 18.9-4.7	80MOA(E) 60MOA(W)	30mm	340 / 13.4	782 / 27.6	1/4MOA	10yds to $\infty$

38

Orion



**Randy Wiranata**  
Indonesia

If you want smooth hunting, borrow one hundred first, the Orion series gives you what you want, save your hunting moment.




# ORION

Featuring fully multi-coated, anti-glare lenses, it delivers edge-to-edge sharp clarity. The purpose-built reticle enables optimal target engagement across a wide range of scenarios, while precise turret adjustments with a turret lock and zero-reset function ensure consistent accuracy.

CLEAR IMAGE, CLEAR CHOICE



Scope Universal Big Side Wheel  
(SCBSW-U1)



Orion


39

## CLASSIC LINE

SKU	Name	Reticle	Illumination	Eye Relief (mm/in)	F.O.V (m@100meters) (ft@100 yds)	Adjustment Range	Tube Size	Length (mm/in)	Weight (net)(g/oz)	Click Value	Parallax Adjustment
SCOC-43	2-8x32IR SFP	MPR-V5	6 levels R	95 / 3.7	17.4-4.35 / 52.4-13.1	35MIL	30mm	218 / 8.6	420 / 14.8	1/10MIL	100yds
SCOM-41	10x44 SFP	MPR-V5	N/A	95 / 3.7	3.5 / 10.5	17.5MIL	30mm	245 / 9.7	500 / 17.6	1/10MIL	10yds to $\infty$
SCFF-38	4-16x44IR FFP	MPR-V5	6 levels R	95 / 3.7	8.7-2.2 / 26.2-6.55	22MIL	30mm	265 / 10.5	530 / 18.7	1/10MIL	10yds to $\infty$
SCFF-37	6-24x44IR FFP	MPR-V5	6 levels R	95 / 3.7	5.8-1.45 / 17.5-4.3	15MIL	30mm	294 / 11.6	585 / 20.6	1/10MIL	10yds to $\infty$
SCOM-46	10-30 ZERO SFP	MPR-V10	11 levels R	17 / 0.67	9.4 / 28.3	30MIL	30mm	212 / 8.4	420 / 14.8	1/10MIL	6yds to $\infty$
SCOM-40	3-12x44IR SFP	MPR-V10	6 levels R	95 / 3.7	11.7-2.9 / 35.1-8.7	30MIL	30mm	243 / 9.6	530 / 18.7	1/10MIL	10yds to $\infty$
SCOL-48	4-16x44IR SFP	MPR-V10	6 levels R	95 / 3.7	8.7-2.2 / 26.2-6.55	17.5MIL	30mm	268 / 10.5	555 / 19.6	1/10MIL	10yds to $\infty$
SCOL-49	6-24x44IR SFP	MPR-V10	6 levels R	95 / 3.7	5.8-1.45 / 17.5-4.3	15MIL	30mm	295 / 11.6	580 / 20.5	1/10MIL	10yds to $\infty$

40

Veyron



**Michał Mierkowski**  
Poland

The Veyron stands out from other models due to its compact size, low weight, and ability to maintain high image quality. Despite its small size, this scope offers up to x24 magnification, making it perfect for small, light rifles. It provides a clean and transparent image, distinguishing it from scopes offered by other companies.



# VEYRON

It is available in low-, medium-, and high-power editions, featuring 1/10 MIL turret-lock adjustments—specifically designed for lightweight firearms, PCP rifles, springers, and gas-ram recoiling air rifles.

IDEAL FOR YOUR HUNTING AND GENERAL SHOOTING



Scope Power Ring Lever  
(SCOT-57FF)



Scope Universal Big Side Wheel  
(SCBSW-U1)




## CLASSIC LINE

SKU	Name	Reticle	Illumination	Eye Relief (mm/in)	F.O.V (m@100meters) (ft@100 yds)	Adjustment Range	Tube Size	Length (mm/in)	Weight (net)(g/oz)	Click Value	Parallax Adjustment
SCFF-73	4-16x44 FFP	VVE-1 MIL	6 levels R	100 / 4.0	10.4-2.8 / 31.2-8.4	30MIL	30mm	251 / 9.9	645 / 25.4	1/10MIL	10yds to $\infty$
SCFF-78	4-16x44 FFP	VVE-2 MIL	6 levels R	100 / 4.0	10.4-2.8 / 31.2-8.4	30MIL	30mm	251 / 9.9	645 / 25.4	1/10MIL	10yds to $\infty$
SCOL-73	4-16x44 SFP	German #4 Glass	6 levels R	100 / 4.0	10.4-2.8 / 31.2-8.4	30MIL	30mm	251 / 9.9	645 / 25.4	1/10MIL	10yds to $\infty$
SCFF-72	3-12x44 FFP	VVE-1 MIL	6 levels R	100 / 4.0	13.9-3.6 / 41.7-10.8	31MIL	30mm	242 / 9.5	629 / 24.8	1/10MIL	10yds to $\infty$
SCFF-74	6-24x50 FFP	VVE-1 MIL	6 levels R	100 / 4.0	7.3-1.8 / 21.9-5.4	26MIL	30mm	277 / 10.9	700 / 27.6	1/10MIL	10yds to $\infty$
SCOL-74	6-24x50 SFP	COMING SOON...	6 levels R	100 / 4.0	COMING SOON...						
SCOM-52	10x44 SFP	COMING SOON...	6 levels R	100 / 4.0	COMING SOON...						
SCOM-51	2-10x32 SFP	COMING SOON...	6 levels R	100 / 4.0	COMING SOON...						
SCOM-50	3-12x44 SFP	COMING SOON...	6 levels R	100 / 4.0	COMING SOON...						

42

Veyron



**Gábor Borbás**  
Hungary

The II. generation Veyron offers outstanding value for money and performs exceptionally well in Hunter Field Target airgun shooting (16.3 J). Its compact, lightweight design fits almost any airgun. The thin tactical reticle ensures clear target visibility, while dense graduations allow precise ranging and holdover. The 30 mm tube delivers excellent light transmission for low-light use, and the 44 mm objective provides a wide field of view with sharp, distortion-free HD clarity at all magnifications. With 6-level illuminated reticle and lockable, responsive turrets, this optic delivers reliable performance in any situation. A highly recommended choice.




# VEYRON HD GENII

IDEAL FOR YOUR HUNTING AND GENERAL SHOOTING



Scope Universal Big Side Wheel  
(SCBSW-U1)




Veyron

43

## CLASSIC LINE

SKU	Name	Reticle	Illumination	Eye Relief (mm/in)	F.O.V (m@100meters) (ft@100 yds)	Adjustment Range	Tube Size	Length (mm/in)	Weight (net)(g/oz)	Click Value	Parallax Adjustment
SCOL-36	10-50x60 DOT SFP	VETD-LR	11 levels R	100 / 4.0	3.7-0.7 / 11.0-2.2	40MOA	34mm	423 / 16.7	960 / 33.9	1/8MOA	10yds to $\infty$
SCOL-37	12-60x60 DOT SFP	VETD-LR	11 levels R	100 / 4.0	3.1-0.6 / 9.15-1.8	40MOA	34mm	423 / 16.7	960 / 33.9	1/8MOA	10yds to $\infty$
SCOL-38	46x60 DOT SFP	VETD-LR	11 levels R	100 / 4.0	0.9 / 2.75	40MOA	34mm	431 / 16.9	945 / 33.3	1/8MOA	10yds to $\infty$
SCOL-39	10-50x60 MFL SFP	VEMP-LR	11 levels R	100 / 4.0	3.7-0.7 / 11.0-2.2	40MOA	34mm	423 / 16.7	960 / 33.9	1/8MOA	10yds to $\infty$
SCOL-40	12-60x60 MFL SFP	VEMP-LR	11 levels R	100 / 4.0	3.1-0.6 / 9.15-1.8	40MOA	34mm	423 / 16.7	960 / 33.9	1/8MOA	10yds to $\infty$
SCOL-41	46x60 MFL SFP	VEMP-LR	11 levels R	100 / 4.0	0.9 / 2.75	40MOA	34mm	431 / 16.9	945 / 33.3	1/8MOA	10yds to $\infty$



**Tomasz Kocemba**  
Poland

It is fairly large with the 60mm objective and 34mm tube, but not overly large like some other scopes offering such great magnification. The image is bright and the optical quality is surprisingly good for the price. It introduces shooter to a new world of x60 magnification. Fine reticle, with illuminated, well-calibrated central dot allows you to aim with accuracy like never before. The reticle markings for holdover or windage designed to keep that sight picture as clean and uncluttered as possible, and are good for most long-distance shots.



# MINOTAUR

Purpose-built for the competitive shooter. Center dot illuminated reticle with 1/8MOA zero-stop adjustment for your precision bench rest at long range and accurate competition.

IT'S A LOYAL PARTNER FOR YOUR COMPETITION SHOOTING



Minotaur

## CLASSIC LINE

SKU	Name	Reticle	Illumination	Eye Relief (mm/in)	F.O.V (m@100meters) (ft@100 yds)	Adjustment Range	Tube Size	Length (mm/in)	Weight (net)(g/oz)	Click Value	Parallax Adjustment
SCOL-29	4-16x44 SFP	VOW-10BDC	N/A	100 / 4.0	7.0-1.8 / 21.1-5.3	50MOA	25.4mm	357 / 14.0	625 / 22.0	1/4MOA	10yds to $\infty$
SCOM-30	3-12x44 SFP	VOW-10BDC	N/A	100 / 4.0	10.5-2.6 / 31.5-7.9	60MOA	25.4mm	325 / 12.8	595 / 20.7	1/4MOA	10yds to $\infty$
SCOL-31	6-24x50 SFP	VOW-10BDC	N/A	100 / 4.0	5.3-1.3 / 15.8-4.0	40MOA	25.4mm	363 / 14.3	660 / 23.3	1/4MOA	10yds to $\infty$
SCOL-30	4-16x44 GT SFP	VOI-10BDC	11 levels R	100 / 4.0	7.0-1.8 / 21.1-5.3	50MOA	25.4mm	357 / 14.0	650 / 23.0	1/4MOA	10yds to $\infty$
SCOM-31	3-12x44 SFP	VOI-10BDC	11 levels R	100 / 4.0	10.5-2.6 / 31.5-7.9	60MOA	25.4mm	325 / 12.8	620 / 21.9	1/4MOA	10yds to $\infty$
SCOL-32	6-24x50 GT SFP	VOI-10BDC	11 levels R	100 / 4.0	5.3-1.3 / 15.8-4.0	40MOA	25.4mm	362 / 14.3	680 / 24.0	1/4MOA	10yds to $\infty$
SCOM-44	3-12x40 SFP	VHU-3 MIL	11 levels R	100 / 4.0	8.4-2.6 / 25.2-7.8	25MIL	25.4mm	325 / 12.8	612 / 21.6	1/10MIL	10yds to $\infty$

46

Hugo



**Tomasz Kocemba**  
Poland


Big on quality, small on price.



# HUGO

With a minimum focus starting at 10 yards, these scopes offer a wide field of view and a 4-inch long eye relief. Premium fully multi-coated lenses deliver crisp, sharp images, and they feature either a wire-etched glass or fiber reticle with 1/4 MOA turret-lock adjustments.

RANGE IT, DIAL IT AND AIM DEAD ON



Hugo

47


## CLASSIC LINE

SKU	Name	Reticle	Illumination	Eye Relief (mm/in)	F.O.V (m@100meters) (ft@100 yds)	Adjustment Range	Tube Size	Length (mm/in)	Weight (net)(g/oz)	Click Value	Parallax Adjustment
SCOM-26	2-7x32 SFP	Duplex	N/A	100 / 4.0	14.0-4.0 / 42.0-12.1	60MOA	25.4mm	280 / 11.0	375 / 13.2	1/4MOA	100yds
SCOM-33	2-7x32 MOA SFP	VOW-MOA	N/A	100 / 4.0	14.0-4.0 / 42.0-12.1	60MOA	25.4mm	280 / 11.0	375 / 13.2	1/4MOA	100yds
SCOM-27	3-9x40 MOA SFP	Duplex	N/A	100 / 4.0	10.8-3.7 / 32.4-11.0	60MOA	25.4mm	311 / 12.2	390 / 13.8	1/4MOA	100yds
SCOM-32	3-9x40 MIL SFP	VWD-2	N/A	100 / 4.0	10.8-3.7 / 32.4-11.0	17.5MIL	25.4mm	305 / 12.2	390 / 13.8	1/10MIL	100yds
SCOM-29	4-12x40 SFP	VOW-10BDC	N/A	100 / 4.0	7.9-2.4 / 23.6-7.3	60MOA	25.4mm	347 / 13.7	470 / 16.6	1/4MOA	10yds to $\infty$
SCOL-28	6-18x44 SFP	VOW-10BDC	N/A	100 / 4.0	4.4-1.9 / 13.1-5.8	40MOA	25.4mm	343 / 13.5	530 / 18.7	1/4MOA	10yds to $\infty$
SCOM-36	3-9x50 SFP	VFD1-MOA	11 levels R	100 / 4.0	10.3 - 3.5 / 30.9 - 10.5	80MOA	25.4mm	311 / 12.2	471 / 16.6	1/4MOA	100yds

WILL MERGE TO HUGO

48

Matiz



**René Kristiansen**  
Denmark




The Matiz riflescope is a 1-inch scope with capped adjustment. It features an FMC optical system housed in a rugged, aircraft-grade aluminum 1-inch main tube. This scope offers a wide field of view at low power and enables detailed viewing at high power. It is particularly well-suited for rimfire platforms and is suitable for medium to long-range shooting. Moreover, it is user-friendly for shooters of all skill levels.



# MATIZ

The FMC optical system is housed in a rugged, aircraft-grade aluminum 1-inch main tube. It delivers an excellent field of view at low power and sharp detail at high power—ideal for rimfire platforms and medium-to-long-range shooting.

EASY TO USE FOR ANY SHOOTER



Matiz

49

— ENTRY LINE —

5-year Warranty



**ENTRY LINE**



Our entry-level product line is perfect for beginners and casual shooters who prioritize affordability without compromising on quality. These products provide a great starting point and come with the added assurance of a generous 5-year warranty.



SENTINEL

GRIZZLY

FORESTER


Vector Optics – navigate your way to mastery, together.

## ENTRY LINE

SKU	Name	Reticle	Illumination	Eye Relief (mm/in)	F.O.V (m@100meters) (ft@100 yds)	Adjustment Range	Tube Size	Length (mm/in)	Weight (net)(g/oz)	Click Value	Parallax Adjustment	
SCOL-59	4-16x50 SFP	VSE-4 MOA	6 levels R	95 / 3.7	8.2-2.1 / 24.6-6.3	70MOA	30mm	355 / 14.0	759 / 26.8	1/4MOA	10yds to $\infty$	
New	SCOL-60	6-24x50 GenII SFP	VSE-3 MOA	6 levels R	95 / 3.7	6.1-1.5 / 18.3-4.6	70MOA	30mm	354 / 14.0	728 / 25.7	1/4MOA	10yds to $\infty$
New	SCOL-61	8-34x50 GenII SFP	VSE-3 MOA	6 levels R	95 / 3.7	6.1-1.5 / 18.3-4.6	40MOA	30mm	408 / 16.0	840 / 29.6	1/4MOA	10yds to $\infty$
SCOL-34	10-40x50 SFP	COM-25M	N/A	95 / 3.7	3.4-0.9 / 10.2-2.6	50MOA	30mm	410 / 16.1	775 / 27.3	1/8MOA	10yds to $\infty$	
SCOL-58	10-40x50 SFP	COM-25M	11 levels R	95 / 3.7	3.4-0.9 / 10.2-2.6	50MOA	30mm	410 / 16.1	792 / 27.9	1/8MOA	10yds to $\infty$	
SCFF-56	4-16x44 FFP	VSE-3 MOA	6 levels R	95 / 3.7	8.2-2.1 / 24.6-6.3	70MOA	30mm	368 / 14.5	775 / 27.3	1/4MOA	10yds to $\infty$	
SCFF-58	5-25x50 HD FFP	VSE-5 MOA	6 levels R	95 / 3.7	7.7-1.5 / 23.0-4.6	80MOA	30mm	356 / 14.0	792 / 27.9	1/4MOA	10yds to $\infty$	
SCFF-57	6-24x50 FFP	VSE-3 MOA	6 levels R	95 / 3.7	6.1-1.5 / 18.3-4.6	55MOA	30mm	368 / 14.5	775 / 27.3	1/4MOA	10yds to $\infty$	

52

Sentinel



**Rob Taylor**  
United Kingdom

I use the sentinel genII 10-40x50 on all my rifles. I have compared the sentinel genII to other manufacturers scopes costing 5 times more and every time the sentinel wins. A friend had a scope costing £2600, he compared it to my sentinel.



# SENTINEL

It is engineered to deliver crisp, clear imagery for benchrest competitions, PCP air rifles, and general shooting applications. Boasting an affordable price point, it features exposed MOA turret-lock or zero-stop adjustments, plus side-mounted parallax correction and reticle illumination.

AS CLASSIC AS IT IS VERSATILE



Scope Power Ring Lever  
(SCOT-57FF)




Scope Universal Big Side Wheel  
(SCBSW-U1)



## ENTRY LINE

SKU	Name	Reticle	Illumination	Eye Relief (mm/in)	F.O.V (m@100meters) (ft@100 yds)	Adjustment Range	Tube Size	Length (mm/in)	Weight (net)(g/oz)	Click Value	Parallax Adjustment
SCOC-41	1-4x24 SFP	German #4 Glass	11 levels R	100 / 4.0	35.3-8.7 / 105.8-26.2	60MOA	30mm	259 / 10.2	470 / 16.6	1/2MOA	100yds
SCOC-50	1-6x24 HD SFP	German #4 Fiber	11 levels R	100 / 4.0	40.8-6.4 / 122.4-19.2	52MIL	30mm	257 / 10.1	510 / 18.0	1/10MIL	100yds
SCOM-48	2.5-15x50 HD SFP	German #4 Fiber	6 levels R	100 / 4.0	14.5-2.4 / 43.5-7.2	32MIL	30mm	336 / 13.2	705 / 24.9	1/10MIL	10yds to $\infty$
SCOM-09	3-12x56 SFP	German #4 Glass	11 levels R	100 / 4.0	12.2-3.1 / 36.7-9.2	60MOA	30mm	326 / 12.8	700 / 24.7	1/4MOA	100yds
<sup>New</sup> SCOM-49	3-12x56 HD SFP	German #4 Fiber	6 levels R	100 / 4.0	13.8-3.5 / 41.5-10.4	70MOA	30mm	345 / 13.6	605 / 21.3	1/4MOA	100yds
SCOL-67	3-18x56 HD SFP	German #4 Fiber	6 levels R	100 / 4.0	11.7-2.0 / 35.2-6.0	28MIL	30mm	343 / 13.5	770 / 27.2	1/10MIL	10yds to $\infty$



**Legat Werner**  
Austria

The right scope for a young hunter on a small budget. It easily tolerates up to 30.06 and has crystal-clear and bright optics with a very usable red dot. I use it on an air rifle (45 joules) where even expensive brands can't withstand the recoil. This is where the Grizzly shows its quality.



# GRIZZLY

It's a classic scope, boasting solid image quality and reliable MOA adjustments. Available in a variety of configurations, it features a rugged 30mm monotube construction. At this price point, you can spend more time out in the field—and it even offers a fiber reticle edition, ideal for the brightest sunlight conditions.

GET MORE THAN YOU PAY FOR




## ENTRY LINE

SKU	Name	Reticle	Illumination	Eye Relief (mm/in)	F.O.V (m@100meters) (ft@100 yds)	Adjustment Range	Tube Size	Length (mm/in)	Weight (net)(g/oz)	Click Value	Parallax Adjustment
SCOC-28	1-4x24 SFP	VFD-3	N/A	100 / 4.0	24.4-7.9 / 73.3-23.6	100MOA	30mm	260 / 10.2	390 / 13.8	1/2MOA	50yds
SCOM-35	3-9x40 SFP	VFD-3	N/A	100 / 4.0	12.9-4.4 / 38.8-13.1	50MOA	30mm	295 / 11.6	430 / 15.2	1/4MOA	100yds
SCOC-54	1-5X24 SFP	VFD-3 Fiber	6 levels R	100 / 4.0	32 - 6.7 / 96 - 20.1	35MIL	30mm	262 / 10.3	424 / 10.3	1/5MIL	50yds
SCOC-32	1-5X24 FDE SFP	VFD-2	11 levels R	100 / 4.0	24.4-6.6 / 73.3-19.9	60MOA	30mm	260 / 10.2	425 / 15.0	1/2MOA	50yds
SCOC-38	1-8x24 SFP	VFD-2	11 levels R	100 / 4.0	35.0-6.3 / 105-18.9	60MOA	30mm	273 / 10.8	531 / 18.7	1/2MOA	50yds
SCOC-39	1-8X24 FDE SFP	VFD-2	11 levels R	100 / 4.0	35.0-6.3 / 105-18.9	60MOA	30mm	273 / 10.8	531 / 18.7	1/2MOA	50yds

\*Scopes equipped with a fiber-optic reticle also feature a Motion Sensor function.

56

Forester



**YuKi'OSMI' Sumimura**  
Japan

You will be amazed by the clear, edgeless view that is beyond its price, and the marvelous depth of field that spreads in front of you.

Forester will change your way of thinking about shooting.



# FORESTER

It offers a wide selection of magnifications and configurations at a highly competitive price point. It delivers generous eye relief, a wide field of view, a large eye box, and edge-to-edge clarity—all paired with precise MOA adjustments.

IT'S JUST YOUR FIRST SCOPE





# X-ACCU

Durable, precision-machined optic mounting solutions ensure perfect alignment. With options from standard rings to multi-module assemblies and levels, the range fits all shooting scenarios and simplifies gear setup.





# 34MM PICATINNY RINGS

**New**

## /// SPECIFICATIONS

20-25 in/lbs (2.3-2.8 Nm) Ring Screws  
20-25 in/lbs (2.3-2.8Nm) Base Screws

Product	SKU	Height (mm / in)	Central Height (mm / in)	Material	Finish	Others
	XASR-3471	55.5 / 2.19	24 / 0.95	7075 Aluminum Alloy	Black	Compatible with XASR-A01, SCRA-SM7, Screw-in ACD
	XASR-3472	59.5 / 2.34	28 / 1.1	7075 Aluminum Alloy	Black	Compatible with XASR-A01, SCRA-SM7, Screw-in ACD
	XASR-3473	63.3 / 2.49	34 / 1.25	7075 Aluminum Alloy	Black	Compatible with XASR-A01, SCRA-SM7, Screw-in ACD
	XASR-3474	67.5 / 2.66	38 / 1.5	7075 Aluminum Alloy	Black	Compatible with XASR-A01, SCRA-SM7, Screw-in ACD
	XASR-3476	67.5 / 2.66	38 / 1.5	7075 Aluminum Alloy	Black	Compatible with SCRA-QD7, XASR-A01, SCRA-SM7 Screw-in ACD

# 30MM PICATINNY RINGS

**PRO** **New**

## /// SPECIFICATIONS

20-25 in/lbs (2.3-2.8 Nm) Ring Screws  
20-25 in/lbs (2.3-2.8Nm) Base Screws

Product	SKU	Height (mm / in)	Central Height (mm / in)	Material	Finish	Others
	XASR-3071	53.5 / 2.11	24 / 0.95	7075 Aluminum Alloy	Black	Compatible with XASR-A03, SCRA-SM7, Screw-in ACD
	XASR-3072	57.5 / 2.26	28 / 1.1	7075 Aluminum Alloy	Black	Compatible with XASR-A03, SCRA-SM7, Screw-in ACD
	XASR-3073	61.3 / 2.41	34 / 1.25	7075 Aluminum Alloy	Black	Compatible with XASR-A03, SCRA-SM7, Screw-in ACD
	XASR-3074	65.5 / 2.58	38 / 1.5	7075 Aluminum Alloy	Black	Compatible with XASR-A03, SCRA-SM7, Screw-in ACD
	XASR-3076	65.5 / 2.58	38 / 1.5	7075 Aluminum Alloy	Black	Compatible with SCRA-QD7, XASR-A03, SCRA-SM7 Screw-in ACD

# 34MM PICATINNY RINGS



## /// SPECIFICATIONS

Made of 6061 Aluminum Alloy

18-22 in/lbs (2.0-2.5 Nm) Ring Screws

18-22 in/lbs (2.0-2.5 Nm) Base Screws

XASR-3452

**Low Profile Scope Rings**

25.4mm 1.0in Bottom to Ring Center

---

XASR-3453

**Medium Profile Scope Rings**

32mm 1.25in Bottom to Ring Center

---

XASR-3454

**High Profile Scope Rings**

38mm 1.5in Bottom to Ring Center

---

# 30MM PICATINNY RINGS



## /// SPECIFICATIONS

Made of 6061 Aluminum Alloy

18-22 in/lbs (2.0-2.5 Nm) Ring Screws

18-22 in/lbs (2.0-2.5 Nm) Base Screws

XASR-3051

**Low Profile Scope Rings**

25.4mm 1.0in Bottom to Ring Center

---

XASR-3052

**Medium Profile Scope Rings**

32mm 1.25in Bottom to Ring Center

---

XASR-3053

**High Profile Scope Rings**

38mm 1.5in Bottom to Ring Center

---

# 34MM ONE PIECE PICATINNY MOUNT

Hard Anodizing

18 in/lbs (2.0 Nm) Ring Screws

30 in/lbs (3.4 Nm) Base Screws

SCTM-57

**High Profile | 0MOA**

40mm 1.6in Bottom to Mount Center

SCTM-58

**High Profile | 20MOA**

40mm 1.6in Bottom to Mount Center



SCTM-60

**Medium Profile | 0MOA**

35mm 1.4in Bottom to Mount Center

SCTM-61

**Medium Profile | 20MOA**

35mm 1.4in Bottom to Ring Center



XASR-3014

**High Profile | 0MOA**

40mm 1.6in Bottom to Mount Center

18 in/lbs (2.0 Nm) Base Screws

XASR-3015

**High Profile | 20MOA**

40mm 1.6in Bottom to Mount Center

18 in/lbs (2.0 Nm) Base Screws



# 30MM ONE PIECE EXTENDED PICATINNY AR MOUNT



XASR-3031 Black | XASR-3035 FDE

**0MOA**  
38mm 1.5in Bottom to Mount Center

---

XASR-3032 Black | XASR-3036 FDE

**20MOA**  
38mm 1.5in Bottom to Mount Center

---

## /// SPECIFICATIONS

18-22 in/lbs (2.0-2.5 Nm) Ring Screws  
18-22 in/lbs (2.0-2.5 Nm) Base Screws

XASR-3037 Adjustable

**Adjustable 4-Position**  
38mm 1.5in Bottom to Mount Center

---

# 30MM ONE PIECE EXTENDED PICATINNY AR MOUNT

Made of 6061 Aluminum Alloy

18-22 in/lbs (2.0-2.5 Nm) Ring Screws

18-22 in/lbs (2.0-2.5 Nm) Base Screws



XASR-3038 Black

**Extreme High**

49mm 1.93in Bottom to Mount Center



XASR-F3038 FDE

**Extreme High**

49mm 1.93in Bottom to Mount Center

# MOUNT ASSEMBLY KIT

A Short Picatinny Rail, and a Riser Mount

2 Red Dot Sight Footprint Adapters (MOJ® & MGT™)

4 Pairs of Different Length Screws

18-22 in/lbs (2.0-2.5 Nm) Screws


/// 34MM

XASR-A01

**An Upper part of Scope Ring (6 Holes)**

Riser Mount Length : 27 mm / 1.0 in

Scope Ring Length : 50 mm / 2.0 in



/// 30MM

XASR-A02

**An Upper part of Scope Ring (6 Holes)**

Riser Mount Length : 27 mm / 1.0 in

Scope Ring Length : 45.5 mm / 1.8 in

/// 30MM

XASR-A03

**An Upper part of Scope Ring (4 Holes)**

Riser Mount Length : 27 mm / 1.0 in

Scope Ring Length : 45.5 mm / 1.8 in

# 30MM SCOPE RINGS

18-22 in/lbs (2.0-2.5 Nm) Ring Screws  
18-22 in/lbs (2.0-2.5 Nm) Base Screws

## /// SPECIFICATIONS

Product	SKU	Height (mm / in)	Central Height (mm / in)	Material	Weight (net) (g / oz)	Finish
 XASR-3016 Weaver Rings		54.5 / 2.15	32 / 1.25	6061-T6 Aluminum Alloy	101 / 3.6	Black
 XASR-3017 Dovetail Rings		52.0 / 2.05	32 / 1.25	6061-T6 Aluminum Alloy	95 / 3.3	Black

# ACD MOUNT



SCACD-24

**30mm One Piece Cosine Indicator Picatinny Mount**  
**38mm 1.5in Bottom to Ring Center**

18-22 in/lbs (2.0-2.5 Nm) Ring Screws  
 30-35 in/lbs (3.4-4.0 Nm) Base Screws

12 in/lbs (1.38 Nm) Screws

SCACD-19



**Universal Flat**

SCACD-20



**Offset Bubble Weaver Mount**

SCACD-21



**Offset Bubble Dovetail Mount**

SCACD-26 30mm

SCACD-27 34mm



**Offset Bubble GenII**

SCTR-01 30mm

SCTR-02 34mm



**Flip Up-and-Down Design**

# ADJUSTABLE RINGS

18-22 in/lbs (2.0-2.5 Nm) Ring Screws

18-22 in/lbs (2.0-2.5 Nm) Base Screws

## 25.4mm 1in

XASR-2510 | Picatinny Rings

XASR-2515 | Dovetail Rings



## 30-36mm 1.2-1.4in Center Height

## 33-39mm 1.3-1.5in Center Height

## 30mm

XASR-3041 | Picatinny Rings

XASR-3045 | Dovetail Rings



## 32-38mm 1.25-1.5in Center Height

## 35-41mm 1.4-1.6in Center Height

## 34mm

XASR-3451 | Picatinny Rings

XASR-3055 | Dovetail Rings



## 35-41mm 1.4-1.6in Center Height

## 37.5-43mm 1.5-1.7in Center Height

## 30mm

XASR-3060 | Cantilever Weaver Rings

XASR-3065 | Cantilever Dovetail Rings



## 35-41mm 1.4-1.6in Center Height

## 35-41mm 1.4-1.6in Center Height

# 25.4MM STEEL WEAVER RINGS



## Standard

XASR-S01

### Low Profile

19mm 0.75in Bottom to Ring Center

---

XASR-S02

### Medium Profile

25.4mm 1.0in Bottom to Ring Center


---

XASR-S03

### High Profile

32mm 1.25in Bottom to Ring Center

---



## Quick Release

XASR-SQ01

### Low Profile

19mm 0.75in Bottom to Ring Center

---

XASR-SQ02

### Medium Profile

25.4mm 1.0in Bottom to Ring Center

---

XASR-SQ03

### High Profile

32mm 1.25in Bottom to Ring Center

---

# 30MM STEEL WEAVER RINGS



## Standard

XASR-S11      18-22 in/lbs (2.0-2.5 Nm) Ring Screws  
                  18-22 in/lbs (2.0-2.5 Nm) Base Screws



**Low Profile**  
25.4mm 1.0in Bottom to Ring Center

---

XASR-S12

**Medium Profile**  
32mm 1.25in Bottom to Ring Center

---

XASR-S13

**High Profile**  
38mm 1.5in Bottom to Ring Center

---

## Quick Release

18-22 in/lbs (2.0-2.5 Nm) Ring Screws

XASR-SQ10

## Extreme Low Profile

20mm 0.8in Bottom to Ring Center

---

XASR-SQ11

## Medium Profile

25.4mm 1.0in Bottom to Ring Center

---

XASR-SQ12

**High Profile**  
32mm 1.25in Bottom to Ring Center

---

XASR-SQ13

**High Profile**  
38mm 1.5in Bottom to Ring Center

---


# VAST™ RED DOT SIGHT INTEGRATED ECOSYSTEM

## /// PICATINNY RISER MOUNT

18-22 in/lbs (2.0-2.5 Nm) Ring Screws

18-22 in/lbs (2.0-2.5 Nm) Base Screws


Product	SKU	Height (mm / in)	Central Height (mm / in)	Material	Weight (net) (g / oz)
	SCRA-75	21.0 / 0.83	38 / 1.5 (with Frenzy FLEX 1x24x29 MOJ)	6061-T6 Aluminum Alloy	47 / 1.9
	SCRA-76	32.0 / 1.26	49 / 1.93 (with Frenzy FLEX 1x24x29 MOJ)	6061-T6 Aluminum Alloy	48 / 1.9
	SCRA-77	40.0 / 1.57	57 / 2.26 (with Frenzy FLEX 1x24x29 MOJ)	6061-T6 Aluminum Alloy	50 / 2.0

 **VAS™ MOUNT ADAPTERS**

# RED DOT MAGNIFIER ONE PIECE PICATINNY MOUNT



6061-T6 | MICRO Red Dot Footprint Base  
**New**

18-22 in/lbs (2.0-2.5 Nm) Base Screws




XASR-RM01

For Maverick Red Dot and  
Maverick Magnifier



XASR-RM02


For Scrapper Red Dot and  
Paragon Magnifier



# ELECTRIC ACD MOUNT

*New*

18-22 in/lbs (2.0-2.5 Nm) Base Screws





Tilt Left (Red)



Aligned (Green)



Tilt Right (Blue)





WWW.VECTOROPTICS.COM



**VECTOROPTICS<sup>®</sup>**.com