



RED DOT SIGHT & MAGNIFIER

2026 CATALOG

VE VECTOR OPTICS®

**VISIT
US ON**



VectorOptics



ICON

- **FRENZY[®] FLEX** Field Legend 6
- **FRENZY[®] FA** Fast Acquisition 12
- **FRENZY[®] F3** 3-Gun -Pistol/PCC/Rifle 20
- **FRENZY[®] FM** Fusion 26

FRENZY[®] ACCESSORIES

- **SCRAPPER** 34
 - **MAVERICK** 40
 - **NAUTILUS** 46
-

MAGNIFIER

48


RED DOT SIGHT

/// RETICLE OPTIONS



X MOA DOT SIZE

Multiple MOA Options for Precision or Speed



MULTI-RETICLE (MRT)


Dot Reticle, Crosshair Circle and Crosshair Circle with Dot Reticle

/// WINDOW DESIGN



LARGE WINDOW

Expanded Viewing Area to Stay with the Dot



COMPACT WINDOW SIZE

Compact and Lightweight Design


/// OPTICAL PERFORMANCE



PARALLAX FREE

Point of Aim Aligns with Point of Impact


/// LENS QUALITY



ASPHERIC LENS

Crisper and Sharper Image

/// ILLUMINATION & POWER SYSTEM




DIRECT LIGHT SOURCE (RCLED)

Provides the Sharpest and Brightest Dot




NV-COMPATIBLE ILLUMINATION

NV Illumination for Take Shot at Night



SOLAR PANELS (SOL)

Backup Power under Strong Sunlight Condition




AUTOMATIC LIGHT-SENSITIVE SENSOR (ALC)

Automatically Adjust the Reticle Brightness



MOTION SENSOR

Effortless Activation and Battery Savings



SIDE-LOAD BATTERY TRAY

Change Battery without Re-zero

/// STRUCTURE & DURABILITY



7075-T6 ALUMINUM HOUSING

7075-T6 Aluminum Housing



QUICK RELEASE PICATINNY MOUNT

Quickly Secure and Uninstall Optic



LIGHTWEIGHT DESIGN

Lighten Your Load, Aim with Ease



RUBBER ARMORED

Enhanced Grip & Shock Protection



TITANIUM-ALLOY HOUSING

Lightweight Strength with Superior Durability

/// CONTROL & INTERFACE




AUDIBLE MECHANICAL CLICKS

Perceptible to Adjust



DIGITAL CONTROL

Tap to Adjust Illumination Intensities



MANUAL SWITCH

Adapt to Any Light, Stay on Target





FRENZY[®] FLEX

DYNAMIC SHOOTING COMPETITION

Empowering you to become the one


BASE FEATURE



- Parallax Free
- Motion Sensor
- Side-load Battery Tray
- IPX7 Waterproof
- 7075-T6 Aluminum Alloy
- Large Window
- Direct Light Source

UPGRADE FEATURE

- Multi-Reticle
- 6MOA
- Aspheric Lens
- CZ[®] Shadow 2 Optics-Ready
- MOJ[™] Footprint
- MGT[™] Footprint



SPECIFICATIONS

Housing Material	Adjustment Range	Dot Intensity	Auto Sleep (Inactivity)	Runtime (hrs)	Battery Type	Battery Placement	Housing Material
7075	≥ 90MOA	9 Levels R & 2NV	10min	50000	CR1632	Side	Black Matte

SKU

SCRD-77 24x29 ^{New}				6MOA	● Black
SCRD-86 24x29 ^{New}				6MOA	● Black
SCRD-76 24x29				6MOA	● Black
SCRD-M76 24x29				3MOA Dot & 62MOA Circle	● Black

Lifetime Warranty



FRENZY® FLEX

DYNAMIC SHOOTING COMPETITION

Empowering you to become the one

Lifetime Warranty



BASE FEATURE



- Side-load Battery Tray
- 7075-T6 Aluminum Alloy
- Parallax Free
- Motion Sensor
- IPX7 Waterproof
- Direct Light Source

UPGRADE FEATURE

- Aspheric Lens
- Solar Power
- Titanium-Alloy Housing
- Multi-Reticle
- MOJ™ Footprint
- MGT™ Footprint



SPECIFICATIONS

Housing Material	Adjustment Range	Dot Intensity	Auto Sleep (Inactivity)	Runtime (hrs)	Battery Type	Battery Placement
7075	≥ 90MOA	9 Levels R & 2NV	SCRD-64/SM64/T64: 3min SCRD-66: 2min	50000	SCRD-64/SM64: CR2032 SCRD-T64/SCRD-66: CR1632	side

SKU

SCRD-66 19x28



MGT

SCRD-64 19x28



MOJ

SCRD-SM64 19x26




MOJ

SCRD-T64 19x28



MOJ



3MOA Dot & 38MOA Circle



Black

Black

Black

Black

Black







WARNING: RETRACT SLIDE TO SEE IF LOADED
FIRES WITHOUT MAGAZINE

PX4J/881

PX4SCORP

READ MANUAL BEFORE USE

PX4SCORP

STEINER

FRENZY[®] FLEX

MULTI-DISCIPLINE SHOOTING COMPETITION

Empowering you to become the one

BASE FEATURE



Parallax Free



IPX7 Waterproof



Motion Sensor



MOJ[™] Footprint



Direct Light Source


UPGRADE FEATURE



Multi-Reticle



Automatic
Light-Sensitive
Sensor



SPECIFICATIONS

Housing Material	Adjustment Range	Dot Intensity	Auto Sleep (Inactivity)	Runtime (hrs)	Battery Type	Battery Placement
6061	≥ 90MOA	8 Levels R & 2NV	2min	50000	CR2032	Bottom

SKU

SCRD-36 22x26



● Black

SCRD-M36 22x26



3MOA Dot & 34MOA Circle

● Black

SCRD-37 22x26



● Black

Lifetime Warranty





FRENZY[®] FA

EVERYDAY CARRY

Always faster when it matters

BASE FEATURE



UPGRADE FEATURE



Parallax Free



Solar Power



Side-load Battery Tray



Multi-Reticle



Motion Sensor



MGT™ Footprint



7075-T6 Aluminum Alloy




DPP Footprint



Aspheric Lens



Direct Light Source



SPECIFICATIONS

Housing Material	Adjustment Range	Dot Intensity	Auto Sleep (Inactivity)	Runtime (hrs)	Battery Type	Battery Placement
7075	≥ 90 MOA	9 Levels R & 2NV	SCRD-85: 10min SCRD-68/M68/SM68: 3min	50000	CR1620	Side

SKU

SCRD-85 20x22 ^{New}



Black

SCRD-68 17x20



Black

SCRD-M68 17x20



Black

SCRD-SM68 17x20



Black

3MOA Dot & 36MOA Circle

Lifetime Warranty



FRENZY® FA

PISTOL SLIDE DIRECT MOUNT

Always faster when it matters

Lifetime Warranty



SPECIFICATIONS

Window Size	Housing Material	Length (mm/in)	Weight (net) (g/oz)	Adjustment Range	Dot Intensity	Auto Sleep (Inactivity)	Runtime (hrs)	Battery Type	Battery Placement
16x21	7075	50 / 2.0	33 / 1.16	≥ 120MOA	9 Levels R & 2NV	2min	50000	CR1632	side
20x24	7075	54 / 2.13	35 / 1.23	≥ 90MOA	9 Levels R & 2NV	2min	50000	CR1632	side
16x24	7075	50 / 2.0	33 / 1.16	≥ 90MOA	9 Levels R & 2NV	2min	50000	CR1632	side

SKU

SCRD-81 16x21



● Black

SCRD-82 20x24



● Black

SCRD-83 16x24



● Black

BASE FEATURE



Side-load Battery Tray



IPX7 WaterProof



7075-T6 Aluminum Alloy



Parallax Free



Motion Sensor



Direct Light Source

UPGRADE FEATURE



GLOCK® Standard MOS Pistols



Walther PDP Optics-Ready



Fit for CZ® P-10 & Shadow 2 OR Pistols



SCRD-81



SCRD-82



SCRD-83





FRENZY[®] FA

HOME DEFENSE

Always faster when it matters

BASE FEATURE



Side-load Battery Tray



Parallax Free



7075-T6 Aluminum Alloy




Motion Sensor



IPX7 WaterProof

MGT[™] Footprint

Direct Light Source

MGT[™]

SPECIFICATIONS

Window Size	Housing Material	Length (mm/in)	Weight (net) (g/oz)	Adjustment Range	Dot Intensity	Auto Sleep (Inactivity)	Runtime (hrs)	Battery Type	Battery Placement
17x21	7075	40 / 1.61	23 / 0.8	≥ 90MOA	8 Levels R & 2NV	10min	50000	CR1632	Side

SKU

SCRD-73 17x21



Black

Lifetime Warranty



FRENZY[®] FA

ALL-WEATHER DEFENSE

Always faster when it matters

Lifetime Warranty



BASE FEATURE



Parallax Free



Side-load Battery Tray



IP67 Water Proof



VOD™ Footprint



Motion Sensor



7075-T6 Aluminum Alloy



Direct Light Source

UPGRADE FEATURE



Multi-Reticle



Solar Power



SPECIFICATIONS

Window Size	Housing Material	Length (mm/in)	Weight (net) (g/oz)	Adjustment Range	Dot Intensity	Auto Sleep (Inactivity)	Runtime (hrs)	Battery Type	Battery Placement
17x20	7075	47 / 1.85	64 / 2.26	≥ 90MOA	8 Levels R & 2NV	10min	50000	CR2032	side

SKU

SCRD-75 17x20



SCRD-M75 17x20



SCRD-GM75 17x20



SCRD-SM75 17x20



3MOA Dot & 68MOA Circle


● Black

● Black

● Black

● Black

VOD-R™



Setting: mm



1x18x22 Flip-Up Caps
SCFRM-25





FRENZY[®] F3

3GUN APPLICABILITY

Choice of World Champion

- BASE FEATURE

Parallax Free

Side-load Battery Tray

Large Window

GIN™ Footprint


Motion Sensor

Direct Light Source
- UPGRADE FEATURE

6MOA Dot Size

Multi-Reticle

Solar Power



SPECIFICATIONS

Window Size	Housing Material	Length (mm/in)	Weight (net) (g/oz)	Adjustment Range	Dot Intensity	Auto Sleep (Inactivity)	Runtime (hrs)	Battery Type	Battery Placement
22x32	6061	53 / 2.08	112 / 3.96	≥ 50MOA	9 Levels R & 2NV	2min	50000	CR2032	Side

SKU

- SCRD-65 22x32
- SCRD-SM44 22x32
- 6MOA

3MOA Dot & 38MOA Circle

Black

Black



SCFRC-01
Frenzy 22x32
All-Weather Cover

Lifetime Warranty



FRENZY[®] F3

3GUN APPLICABILITY

Choice of World Champion

Lifetime Warranty



BASE FEATURE



Motion Sensor



Parallax Free



Large Window



IP67 Waterproof



Direct Light Source

UPGRADE FEATURE



3MOA Dot Size



Multi-Reticle



SPECIFICATIONS

Window Size	Housing Material	Length (mm/in)	Weight (net) (g/oz)	Adjustment Range	Dot Intensity	Auto Sleep (Inactivity)	Runtime (hrs)	Battery Type	Battery Placement
26x31	7075	97 / 3.82	297 / 10.5	≥ 160MOA	9 Levels R & 2NV	3min	50000	AAAx2	Front

SKU

SCRD-67 31x26



● Black

SCRD-M67 31x26



3MOA Dot & 52MOA Circle

● Black

SCRD-S67 31x26



● Black



1x31x26 Skeleton Armor Shroud
 SCRD-67A1 | SCRD-67A2 | SCRD-67A3 | SCRD-67A4







FRENZY® F3

MULTI-DISCIPLINE SHOOTING COMPETITION

Choice of World Champion

- BASE FEATURE

Parallax Free

Motion Sensor

Side-load Battery Tray

IPX7 Waterproof


7075-T6 Aluminum Alloy

Large Window

Direct Light Source
- UPGRADE FEATURE

6MOA

Multi-Reticle



SPECIFICATIONS

Window Size	Housing Material	Length (mm/in)	Weight (net) (g/oz)	Adjustment Range	Dot Intensity	Auto Sleep (Inactivity)	Runtime (hrs)	Battery Type	Battery Placement	Housing Material
26x32	7075	59.6 / 2.34	58 / 2.05	≥ 90MOA	9 Levels R & 2NV	10min	50000	CR2032	Side	Black Matte

SKU

- SCRD-79 26x32
- Black
- SCRD-M79 26x32
- Black

Lifetime Warranty






FRENZY[®] FM

MULTI-SCENARIOS

Adapt to multiple missions

BASE FEATURE

- Motion Sensor
- Parallax Free
- TEK™ Footprint
- Direct Light Source



SPECIFICATIONS

Window Size	Housing Material	Length (mm/in)	Weight (net) (g/oz)	Adjustment Range	Dot Intensity	Auto Sleep (Inactivity)	Runtime (hrs)	Battery Type	Battery Placement
20x28	6061	47 / 1.85	56 / 2.0	≥ 90MOA	8 Levels R & 2NV	2min	50000	CR2032	Bottom

SKU

SCRD-35 20x28			3MOA		Black
SCRD-40 20x28			6MOA		Black

Lifetime Warranty



FRENZY[®] FM

MULTI-SCENARIOS

Adapt to multiple missions

Lifetime Warranty


BASE FEATURE


Lightweight Design



Parallax Free



Motion Sensor



Direct Light Source

UPGRADE FEATURE


5MOA



Multi-Reticle



MGT[™] Footprint



TEK[™] Footprint



SPECIFICATIONS

Window Size	Housing Material	Length (mm/in)	Weight (net) (g/oz)	Adjustment Range	Auto Sleep (Inactivity)	Dot Intensity	Runtime (hrs)	Battery Type	Battery Placement
17x24	6061	46 / 1.8	19 / 0.67	≥ 90MOA	2min	8 Levels R & 2NV	50000	CR1620	Bottom

SKU

SCRD-19II 17x24



● Black

SCRD-G19II 17x24



● Black

SCRD-43 17x24



● Black


SCRD-M43 17x24




● Black

3MOA Dot & 42MOA Circle

TEK[™] Red Dot Footprint



MGT[™] Red Dot Footprint







ACCESSORIES

FRENZY[®]

ACCESSORIES

MGT™



MOS to MGT Adapter
(SCFRM-16)



Riser Weaver Mount
(SCRA-73)

TEK™



Dovetail Mount TEK
(SCFRM-04)



Riser Weaver Mount
(SCRA-67)

MOJ™



Riser Weaver Mount
(SCRA-71)

GIN™



Frenzy GIN Riser Mount
(SCFRM-24)

VOD™



MOS to VOD Adapter
(SCFRM-12)



CZ Shadow 2 VOD Adapter
(SCFRM-18)



Riser Weaver Mount
(SCFRM-15)



HK SFP9 VOD Adapter
(SCFRM-20)



MOJ to VOD Adapter
(SCFRM-13)



VOD Red Dot Low Weaver Mount
(SCFRM-14)



Low Dovetail Mount
(SCFRM-17)


UNIVERSAL ACCESSORIES



Universal Red Dot Sight Offset Picatinny Mount
SCFRM-29


TEK Bx4

Compatible with Doctor® / Venom®




MGT Ax2

Compatible with Shield RMSc




MOJ Ax4

Compatible with RMR® / SRO®




GIN Bx2

Compatible with C-MORE® RTS / STS



VASTM

Versatile Adaptability Solution





SCRAPPER x3 COMBO

Lifetime Warranty

▪ SCRAPPER RED DOT SIGHT


- Multi-Reticle
- Motion Sensor
- Audible Mechanical Clicks
- RUM™ Footprint
- Parallax Free
- IP67 Waterproof
- Digital Control
- Direct Light Source

▪ PARAGON 3x MAGNIFIER


- Fully Multi-Coated Lens
- Mini Size

▪ ONE PIECE PICATINNY MOUNT

- AR Platform
- 6061-T6 Aluminum Housing
- 1.93" Lower 1/3 Co-witness



Red Dot Sight



Red Dot Sight + 3x Magnifier



3MOA Dot & 44MOA Circle

/// RED DOT SPECIFICATIONS

Housing Material	Adjustment Range	Dot Intensity	Battery Type	Mount Type	Reticle
6061	≥ 90MOA	8 Levels R & 2NV	CR2032	RUM™	Multi-Reticle

/// MAGNIFIER SPECIFICATIONS

Exit Pupil	Eye Relief (mm / in)	Angular Field of View	Objective Lens Dia (mm / in)	Length (mm / in)	Weight (net) (g / oz)
6.0	67 / 2.6	7.4°	18 / 0.7	70 / 2.75	215 / 7.6



SCRAPPER NANO^{New}

No compromise to harsh environment

Lifetime Warranty



BASE FEATURE

- Parallax Free
- Motion Sensor
- Audible Mechanical Clicks
- RUM™ Footprint
- IP67 Waterproof
- Digital Control
- Direct Light Source

UPGRADE FEATURE

- Multi-Reticle
- Solar Power



SPECIFICATIONS

Housing Material	Finish	Click Value	Adjustment Range	Dot Intensity	Runtime (hrs)	Battery Type	Battery Placement	Mount Type
7075	Black	1/2 MOA	≥ 90MOA	9 Levels R & 2NV	50000	AAA x 2	Bottom	Picatinny

SKU

SCRD-84 30x40



SCRD-SM84 30x40 MRT



SCRAPPER NANO

No compromise to harsh environment

Lifetime Warranty



BASE FEATURE



Parallax Free



IP67 Waterproof



Motion Sensor



Digital Control



Audible Mechanical Clicks



RUM™ Footprint



Direct Light Source



SPECIFICATIONS

Housing Material	Finish	Adjustment Range	Dot Intensity	Auto Sleep (Inactivity)	Runtime (hrs)	Battery Type	Battery Placement	Mount Type
7075	Black	≥ 90MOA	9 Levels R & 2NV	2min	50000	CR2032	Side	RUM™

SKU

CENTER HEIGHT

OPTION ACCESSORIES

SCRD-69 1x20

40.4mm / 1.59in

RD69-QD01 | Scrapper 1x20 Cantilever Picatinny QD Mount
Low 1/3 Co-Witness | 32.5mm 0.9in Saddle Height



SCRD-74 1x25

36mm / 1.42in


RD74-QD01 | Scrapper 1x25 Cantilever Picatinny QD Mount
Lower 1/3 Co-Witness | 56mm 2.2in Saddle Height



SPECIFICATIONS

SKU	Window Size	Housing Material	Length (mm/in)	Weight (net) (g/oz)	Adjustment Range	Dot Intensity	Runtime (hrs)	Battery Type	Center Height (mm/in)	Mount Type
SCRD-45	1x22	6061	64.3 / 2.53	140 / 4.9	≥ 90MOA	8 Levels R & 2NV	50000	CR2032	40.4 / 1.59	RUM™
SCRD-46	1x25	6061	71 / 2.76	190 / 6.7	≥ 90MOA	8 Levels R & 2NV	50000	CR2032	36 / 1.42	RUM™
SCRD-47	1x29	6061	79 / 3.1	200 / 7.1	≥ 90MOA	8 Levels R & 2NV	50000	CR2032	38 / 1.48	RUM™
SCRD-69	1x20	7075	47 / 1.85	123 / 4.3	≥ 90MOA	9 Levels R & 2NV	50000	CR2032	40.4 / 1.59	RUM™
SCRD-74	1x25	7075	60 / 2.36	186 / 6.6	≥ 90MOA	9 Levels R & 2NV	50000	CR2032	36 / 1.42	RUM™
SCRD-84	30x40	7075	/	/	≥ 90MOA	9 Levels R & 2NV	50000	CR2032	/	/
SCRD-SM84	30x40 MRT	7075	/	/	≥ 90MOA	9 Levels R & 2NV	50000	CR2032	/	/

FOOTPRINT



CENTER HEIGHT

- 38mm / 1.5in
1.5 " Center Dot Height
- 36mm / 1.42in
Absolute Co-witness
- 40.4mm / 1.59in
Lower 1/3 Co-witness
- 1.93"
Lower 1/3 Co-witness
(Scraper x3 Combo)

TRANSPARENT SCOPE FLIP-CAP

SCRD-45/SCRD-46/SCRD-47



- RD45-FC 01 | 28mm 1.1in Diameter
- RD46-FC 01 | 36mm 1.4in Diameter
- RD47-FC 01 | 37mm 1.45in Diameter
- RD47-FC 02 | 37.5mm 1.48in Diameter

Premium Line | Lifetime Warranty

*MRT: Multi Reticles
SMR: Solar Power & Multi Reticles



MAVERICK-II

Make Maverick Simple. Make it reliable

5-year Warranty



BASE FEATURE

- Parallax Free
- Motion Sensor
- Audible Mechanical Clicks
- Quick Release
- Digital Control

UPGRADE FEATURE

- Multi-Reticle
- Solar Power



SPECIFICATIONS

Window Size	Housing Material	Finish	Adjustment Range	Dot Intensity	Auto Sleep (Inactivity)	Runtime (hrs)	Battery Type	Reticle
22mm	6061	Black	≥ 100MOA	8 Levels R & 2NV	2min	20000	CR2032	3MOA Double Reticles
25mm	6061	Black	≥ 60MOA	6 Level R	2min	20000	CR2032	3MOA

SKU

SCRD-12II 1x22	38.5mm / 1.5in		
SCRD-PS12 1x22SOL	41mm / 1.6in		
SCRD-PD12 1x22DRT	41mm / 1.6in		
SCRD-72 1x25	38.5mm / 1.5in		

MAVERICK-III

Make Maverick Simple. Make it reliable

5-year Warranty



BASE FEATURE



Audible Mechanical Clicks



Parallax Free



Honeycomb Sunshade



Digital Control



Manual Switch



Quick Release



Rubber Armored



Direct Light Source



SPECIFICATIONS

Housing Material	Finish	Adjustment Range	Dot Intensity	Length (mm/in)	Weight (net) (g/oz)	Runtime (hrs)	Battery Type	Reticle
6061	Black/FDE	≥ 60MOA	11 Levels R	81mm / 3.2in	163g / 5.7oz	20000	CR2032	3MOA

SKU

SCRD-41 1x22



43mm / 1.7in



SCRD-42 1x22



43mm / 1.7in



FDE

SCRD-38 1x22



43mm / 1.7in



SCRD-39 1x22



43mm / 1.7in



FDE

MAVERICK-IV

Make Maverick Simple. Make it reliable

5-year Warranty



BASE FEATURE



Audible Mechanical Clicks



Parallax Free



Lens Cover



Digital Control



Fog Proof



Rubber Armored



Direct Light Source



Quick Release



SPECIFICATIONS

Housing Material	Finish	Adjustment Range	Dot Intensity	Length (mm/in)	Weight (net) (g/oz)	Runtime (hrs)	Battery Type	Reticle
6061	Black/FDE	≥ 90MOA	10 Levels R	68mm / 2.7in	140g / 4.9.oz	20000	CR2032	3MOA

SKU

SCRD-60 1x20



41mm / 1.6in



SCRD-61 1x20



41mm / 1.6in



FDE

/// SPECIFICATIONS

SKU	Window Size	Housing Material	Length (mm/in)	Weight (net) (g/oz)	Adjustment Range	Dot Intensity	Runtime (hrs)	Battery Type	Center Height (mm/in)	Quick Release
SCRD-12II	1x22	6061	84 / 3.3	188 / 6.6	≥ 90MOA	10 Levels R & 1NV	20000	CR2032	38 / 1.5	√
SCRD-PS12	1x25 SOL	6061	84 / 3.3	214 / 7.5	≥ 90MOA	7 Levels R & 1NV	20000	CR2032	40.4 / 1.59	√
SCRD-PD12	1x22 DRT	6061	84 / 3.3	214 / 7.5	≥ 90MOA	8 Levels R & 1NV	20000	CR2032	40.4 / 1.59	√
SCRD-72	1x25	6061	92 / 3.6	201g / 7.1	≥ 90MOA	6 Levels R	20000	CR2032	38 / 1.5	√
SCRD-41	1x22 S-MIL	6061	81 / 3.2	163 / 5.7	≥ 90MOA	11 Levels R	20000	CR2032	43 / 1.7	x
SCRD-42	1x22 S-SOP	6061	81 / 3.2	163 / 5.7	≥ 90MOA	11 Levels R	20000	CR2032	43 / 1.7	x
SCRD-38	1x22	6061	81 / 3.2	185 / 6.5	≥ 90MOA	11 Levels R	20000	CR2032	43 / 1.7	x
SCRD-39	1x22 SOP	6061	81 / 3.2	193 / 6.4	≥ 90MOA	11 Levels R	20000	CR2032	43 / 1.7	x
SCRD-60	1x20 MIL	6061	68 / 2.7	140 / 4.9	≥ 90MOA	10 Levels R	20000	CR2032	40.4 / 1.59	x
SCRD-61	1x20 SOP	6061	68 / 2.7	140 / 4.9	≥ 90MOA	10 Levels R	20000	CR2032	40.4 / 1.59	x

/// CENTER HIGH



38mm / 1.5in
1.5 " Center Dot Height



40.4mm / 1.59in
Lower 1/3 Co-witness



43mm / 1.7in

Class Line | 5-year Warranty

*DRT:Double Reticles
SOL:Solar Power

MAVERICK® ACCESSORIES



MAV-QD10

0.8" Profile Cantilever QD Riser Mount

Fit Maverick & Scrapper Red Dot Scope



0.5" Profile Cantilever
Picatinny Riser Mount

MAV-P05



0.83" Profile Cantilever
Picatinny Riser Mount

MAV-P08



Low Profile
Dovetail Mount

MAV-DL



1.0" Profile Cantilever
Picatinny Riser Mount

MAV-P10



1.5" Profile Cantilever
Picatinny Riser Mount

MAV-P15



Maverick Gen-IV
Honeycomb Sunshade

SCRD-61A1



NAUTILUS

A Classic That Endures

5-year Warranty



BASE FEATURE



-  Parallax Free
-  Motion Sensor
-  Audible Mechanical Clicks
-  Flip-up Cap
-  Digital Control

UPGRADE FEATURE

-  Multi-Reticle



SPECIFICATIONS

Housing Material	Finish	Adjustment Range	Dot Intensity	Auto Sleep (Inactivity)	Runtime (hrs)	Battery Type	Battery Placement	Reticle
6061	Black	≥ 60MOA	8 Levels R & 1NV	2min	30000	AAA	Side	Multi-Reticle

SKU

SCRD-26 1x30

SCRD-D26 1x30


37.5mm / 1.48in






MAGNIFIER

PARAGON SERIES




SKU	Name	Magnification	Exit Pupil	Eye Relief (mm / in)	Angular Field of View	Objective Lens Dia (mm / in)	Length (mm / in)	Weight (net) (g / oz)	Center Height (mm / in)
SCMF-33	Paragon 3x18 Magnifier Mini	3x	6.0	67 / 2.6	7.4 °	18 / 0.7	70 / 2.75	215 / 7.6	36 / 1.4
SCMF-34	Paragon 5x30 Magnifier	5x	6.0	67 / 2.6	4.4 °	30 / 1.2	95 / 3.74	250 / 8.8	36 / 1.4

► WITH SCRAPPER AND FRENZY RED DOT

Magnifier Red dot	SCRD-45	SCRD-46 SCRD-SM46	SCRD-47	SCRD-69	SCRD-74	SCRD-67 SCRD-M67 SCRD-S67
SCMF-33	x	✓	✓	✓	✓	✓
SCMF-34	✓	✓	✓	✓	✓	✓



PARAGON MAGNIFIER & FRENZY RED DOT SIGHT



PARAGON MAGNIFIER & SCRAPPER RED DOT SIGHT



MAGNIFIER

MAVERICK SERIES



SKU	Name	Magnification	Exit Pupil	Eye Relief (mm / in)	Angular Field of View	Objective Lens Dia (mm / in)	Length (mm / in)	Weight (net) (g / oz)	Center Height (mm / in)
SCMF-31	Maverick-III 3x22 Magnifier MIL	3x	6.0	70 / 2.7	6.75 °	22 / 0.86	103 / 4.1	290 / 10.2	36 / 1.4
SCMF-32	Maverick-III 3x22 Magnifier SOP	3x	6.0	70 / 2.7	6.75 °	22 / 0.86	103 / 4.1	290 / 10.2	36 / 1.4
SCMF-35	Maverick-IV 3x22 Magnifier Mini	3x	6.0	70 / 2.7	8 °	22 / 0.86	108 / 4.25	271 / 9.56	40 / 1.6

► WITH MAVERICK RED DOT

Magnifier Red dot	SCRD-12II SCRD-GY12	SCRD-PS12 SCRD-PD12	SCRD-41 SCRD-42	SCRD-72	SCRD-38 SCRD-39	SCRD-60 SCRD-61	SCRD-26II SCRD-D26
SCMF-31	✓	✓	x	x	x	x	✓
SCMF-32	✓	✓	x	x	x	x	✓
SCMF-35	✓	✓	✓	✓	✓	✓	✓



MAVERICK MAGNIFIER & MAVERICK RED DOT SIGHT



MEMO



WWW.VECTOROPTICS.COM



VECTOROPTICS®.com